

Meeting Date: 03/29/2019

Number of Applications Scheduled: 10

App No	Applicant	Location Description	County	Stream	Project Description	LMA Endorsement	CEQA Finding
13595-1	Chevron North America	The project is located on the left bank of the Kern River within the Kern River Designated Floodway approximately 0.7 miles upstream of the China Grade Loop Bridge crossing	Kern	Kern River	This is a “name change” permit only and includes conditions that are consistent with current flood control standards and policies of the Central Valley Flood Protection Board. This permit supplements Permit No. 13595 that was issued to Petro Lewis Corp. on March 23, 1983, to drill five oil wells and five steam injection wells within the left bank overflow area of the Kern River.	N/A	The proposed action is a name change and not a “project” pursuant to the Public Resources Code Section 21065 and CEQA Guidelines Section 15378(a) covering projects.
15110-1	Cecil Rodgers	The project is located south of the City of Stockton approximately 0.32 mile downstream from Bowman Road bridge (Levee Mile 3.73, River Mile 47.21). Section 8, T1S, R6E, M.D.B. & M. (Reclamation District No. 17)	San Joaquin	San Joaquin River	To authorize emergency work done in April 2016 to remove and replace approximately 100 feet of a deteriorated 12-inch diameter steel pipe crossing through the levee crown on the right (east) bank of the San Joaquin River. To authorize the existing concrete waterside levee slope stairs, one existing schedule 40 PVC electrical conduit that routes power to an existing waterside pump station, and an existing landside 48-inch diameter concrete standpipe.	Reclamation District 17	The Board, acting as the CEQA lead agency, has determined the project is exempt from CEQA under a Class 1 Categorical Exemption (CEQA Guidelines Section 15301) covering minor alterations to existing facilities.
19234-1	Pacific Gas & Electric Company (PG&E)	The project is located approximately 1.4 miles east of Hwy 70 in the Honcut Creek Floodway parallel to the Union Pacific Railroad.	Butte	Honcut Creek	To remove six (6) 115kV transmission line towers and replace with six (6) hybrid poles and tabular steel poles inside of the Honcut Creek Floodway; To authorize the aerial crossing of the 115kV transmissions lines over the left (south) bank levee of Honcut Creek. All are components of PG&E’s Palermo to Pease 115kV transmission line.	Reclamation District 10	<p>Board staff has prepared the following California Environmental Quality Act (CEQA) determination:</p> <p>The Board, as a responsible agency under CEQA, has reviewed the Initial Study/Mitigated Negative Declaration (IS/MND) (SCH No. 2017042051, August 2017) for the Pacific Gas and Electric South of Palermo 115 kV Power Line Reinforcement Project, prepared by the lead agency California Public Utilities Commission. These documents, including project design, are available for review in hard copy at Board and Commission offices.</p> <p>The Commission determined that the project would not have a significant effect on the environment, and on May 11, 2018, filed Notice of Determination with the State Clearinghouse. The Commission made revisions to the project and/or incorporated mandatory mitigation measures into the project plans to avoid impacts or to mitigate such impacts to a point where no significant adverse impacts will occur. These mitigation measures are included in the Commission's IS/MND and address impacts to biological resources, hazards and hazardous materials, and transportation/traffic. The mitigation measures are further described in the Commission's adopted IS/MND.</p> <p>In accordance with CEQA Guidelines Section 15096(e), Board staff independently reviewed the Commission's IS/MND, and finds these environmental documents prepared by the lead agency adequately address hydrology impacts, including potential flood risk, within the Board’s jurisdiction. The Board, as a responsible agency, is responsible for mitigating and avoiding only the direct and indirect environmental effects of those parts of the project which it decides to carry out, finance, or approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). In accordance with CEQA Guidelines Section 15096(f) and (g), staff recommends the Board make responsible agency findings that approval of insert Permit No. 19234-1 would not have a significant adverse impact and no additional mitigation measures within the Board’s jurisdiction are required.</p> <p>The documents and other materials which constitute the record of the Board’s proceedings in this matter are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.</p>

Meeting Date: 03/29/2019

Number of Applications Scheduled: 10

App No	Applicant	Location Description	County	Stream	Project Description	LMA Endorsement	CEQA Finding
19234-2	Pacific Gas & Electric Company (PG&E)	The project is located near the intersection of Jack Slough Road and Kimball Lane. The Palermo to Pease line travels north, approximately 4.5 miles along the East Levee of Reclamation District 10. The Pease to Rio Oso line travels southeast, approximately 1.2 miles to the North Levee of Yuba River.	Yuba	Jack Slough	To remove an existing 115kV transmission line tower (No. 122) from the landside levee slope of the East Levee of Reclamation District 10; To authorize the aerial crossing of the 115kV transmission lines over the East Levee of Reclamation District 10; To remove forty (40) 115kV transmission line towers in the area affected mainly by backwater from the Feather River through Simmerly Slough and replace with forty (40) hybrid poles and tabular steel poles. All are components of PG&E's Palermo to Pease and Pease to Rio Oso 115kV transmission lines.	Reclamation District 10	<p>Board staff has prepared the following California Environmental Quality Act (CEQA) determination:</p> <p>The Board, as a responsible agency under CEQA, has reviewed the Initial Study/Mitigated Negative Declaration (IS/MND) (SCH No. 2017042051, August 2017) for the Pacific Gas and Electric South of Palermo 115 kV Power Line Reinforcement Project, prepared by the lead agency California Public Utilities Commission. These documents, including project design, are available for review in hard copy at Board and Commission offices.</p> <p>The Commission determined that the project would not have a significant effect on the environment, and on May 11, 2018, filed Notice of Determination with the State Clearinghouse. The Commission made revisions to the project and/or incorporated mandatory mitigation measures into the project plans to avoid impacts or to mitigate such impacts to a point where no significant adverse impacts will occur. These mitigation measures are included in the Commission's IS/MND and address impacts to biological resources, hazards and hazardous materials, and transportation/traffic. The mitigation measures are further described in the Commission's adopted IS/MND.</p> <p>In accordance with CEQA Guidelines Section 15096(e), Board staff independently reviewed the Commission's IS/MND, and finds these environmental documents prepared by the lead agency adequately address hydrology impacts, including potential flood risk, within the Board's jurisdiction. The Board, as a responsible agency, is responsible for mitigating and avoiding only the direct and indirect environmental effects of those parts of the project which it decides to carry out, finance, or approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). In accordance with CEQA Guidelines Section 15096(f) and (g), staff recommends the Board make responsible agency findings that approval of insert Permit No. 19234-2 would not have a significant adverse impact and no additional mitigation measures within the Board's jurisdiction are required.</p> <p>The documents and other materials which constitute the record of the Board's proceedings in this matter are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.</p>

Meeting Date: 03/29/2019

Number of Applications Scheduled: 10

App No	Applicant	Location Description	County	Stream	Project Description	LMA Endorsement	CEQA Finding
19234-3	Pacific Gas & Electric Company	The project is located 2.3 miles east of Marysville in the Yuba River Designated Floodway.	Yuba	Yuba River	To authorize the aerial crossing of the 115 kV transmission lines over the Marysville Levee Commission Unit 3 levee (Yuba River right bank); To remove twelve (12) 115kV transmission line towers in the Yuba River Designated Floodway and replace with twelve (12) hybrid poles and tabular steel poles; To authorize the aerial crossing of the 115kV transmission lines over the Reclamation District 784 Unit 7 levee (Yuba River left bank). All are components of PG&E's Palermo to Pease 115kV transmission line.	N/A	<p>Board staff has prepared the following California Environmental Quality Act (CEQA) determination:</p> <p>The Board, as a responsible agency under CEQA, has reviewed the Initial Study/Mitigated Negative Declaration (IS/MND) (SCH No. 2017042051, August 2017) for the Pacific Gas and Electric South of Palermo 115 kV Power Line Reinforcement Project, prepared by the lead agency California Public Utilities Commission. These documents, including project design, are available for review in hard copy at Board and Commission offices.</p> <p>The Commission determined that the project would not have a significant effect on the environment, and on May 11, 2018, filed Notice of Determination with the State Clearinghouse. The Commission made revisions to the project and/or incorporated mandatory mitigation measures into the project plans to avoid impacts or to mitigate such impacts to a point where no significant adverse impacts will occur. These mitigation measures are included in the Commission's IS/MND and address impacts to biological resources, hazards and hazardous materials, and transportation/traffic. The mitigation measures are further described in the Commission's adopted IS/MND.</p> <p>In accordance with CEQA Guidelines Section 15096(e), Board staff independently reviewed the Commission's IS/MND, and finds these environmental documents prepared by the lead agency adequately address hydrology impacts, including potential flood risk, within the Board's jurisdiction. The Board, as a responsible agency, is responsible for mitigating and avoiding only the direct and indirect environmental effects of those parts of the project which it decides to carry out, finance, or approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). In accordance with CEQA Guidelines Section 15096(f) and (g), staff recommends the Board make responsible agency findings that approval of insert Permit No. 19234-3 would not have a significant adverse impact and no additional mitigation measures within the Board's jurisdiction are required.</p> <p>The documents and other materials which constitute the record of the Board's proceedings in this matter are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.</p>
19295	Brown Strauss Steel	The project is located at 4221 E Mariposa Road, approximately 1050 feet northwest from E Mariposa Road and Carpenter Road crossing in the City of Stockton.	San Joaquin	Duck Creek and Branch Creek	To install 248 feet of 12-inch diameter and 91 feet of 6-inch diameter sewer pipeline as a part of sewer main extension along E Mariposa Road. The pipeline crosses under the Duck Creek South Branch and will be installed 5.1 feet beneath the low water channel.	San Joaquin County Flood Control and Water Conservation District	Board staff has determined that the project is categorically exempt from CEQA under a Class 3 Categorical Exemption (CEQA Guidelines Section 15303) because the proposed activity consists of new construction of sewer pipelines to extend existing services. Further, none of the exceptions to the exemption in CEQA Guidelines Section 15300.2 apply.
19368	Lonestar Farming	The project is located at LM 5.95 Butte Creek on the right bank.	Butte	Butte Creek	To authorize an existing elevated steel pump platform, two pumps, two 18-inch steel pipes, two discharge vent pipes, two flap gates, two closure valves, a concrete discharge headwall, and an electrical panel.	Maintenance Area 5	Board staff has determined the project is exempt from CEQA under the insert Class 1 categorical exemption (CEQA Guidelines § 15301) because the proposed activity consists of permitting existing structures for operation and maintenance, and minor alterations. Further, none of the exceptions to the exemption in CEQA Guidelines Section 15300.2 apply.

Meeting Date: 03/29/2019

Number of Applications Scheduled: 10

App No	Applicant	Location Description	County	Stream	Project Description	LMA Endorsement	CEQA Finding
19369	Smee Homes, Inc.	The project is located approximately 0.1 miles from the intersection of S Mathew St and Heritage Ct.	Tulare	Tule River	To construct two detention basins (basins) along the North bank of the Tule River as part of Summit Estates Two, Phase II residential subdivision development storm water management plan. Construction of the basin includes excavation of approximately 14,000 cubic yards of soil from the designated floodway and installation of 18” reinforced concrete pipes and pipe outlet structures. Bottom of each basin is about 1.1 acres and will store about 2.5 acre-feet of water. The proposed basin lies between FEMA designated floodway and State designated floodway.	N/A	<p>The Board, as a responsible agency under CEQA, has reviewed the Initial Study/Mitigated Negative Declaration (IS/MND) (SCH Number: 2016071003, July 1, 2016) and Mitigation Monitoring and Reporting Program for the Summit Estates Two Subdivision Project prepared by the lead agency, City of Porterville. These documents, including project design, may be viewed at the Board and City offices.</p> <p>The City of Porterville, as the lead agency determined that the project would not have a significant effect on the environment and filed a Notice of Determination on August 8, 2016 with the State Clearinghouse. Staff finds that although the proposed project could have a potentially significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. The project proponent has incorporated mandatory mitigation measures into the project plans to avoid identified impacts or to mitigate such impacts to a point where no significant impacts will occur. These mitigation measures are included in the project proponent’s IS/MND and address impacts to biological resources, greenhouse gas emissions, cultural resources, noise, hydrology and water quality.</p> <p>The documents and other materials which constitute the record of the Central Valley Flood Board’s proceedings in this matter are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.</p>
4656-1	Riverby Ranches, LLC	The project is located along the right bank of the Sacramento River, approximately 0.8 miles north from the intersection of Old River Road and Road 126 at the Sacramento Weir.	Yolo	Sacramento River	<p>To remove and replace an 12-inch diameter steel pipe through the right (west) bank levee of the Sacramento River with a 12-inch diameter steel pipe; to remove and replace a standpipe and siphon breaker with a new standpipe, gate valve and siphon breaker and reconnect the pipeline to the existing landside and waterside pump station features; to remove and replace an existing electrical conduit.</p> <p>This is also a "name change" permit that includes conditions that are consistent with current flood control standards and policies of the Central Valley Flood Protection Board. This permit supersedes Permit No. 4656 that was issued to Dr. Beatty H. Ramsay, M. D. on August 7, 1964, to install a new steel pipe through an existing pipe and to grout the annular space between the pipe through the levee.</p>	Reclamation District 537	The Board has determined that the project is categorically exempt from CEQA under a Class 1 Categorical Exemption (CEQA Guidelines Section 15301) covering the repair and maintenance of existing structures and a Class 2 Categorical Exemption (CEQA Guidelines Section 15302) covering replacement of existing structures where the new structure will be located on the same site and will have substantially the same purpose and capacity as the structure replaced.
955-1	Faye Properties, Inc.	The project is located approximately 3.5 miles west of Robbins and 0.9 miles east of Highway 45 at Eldorado Bend.	Yolo	Sacramento River	To remove and replace an existing 20-inch diameter irrigation pipeline and a 16-inch diameter irrigation pipeline up-and-over the right (south) bank levee of the Sacramento River; To remove and replace the 3 foot wide existing access way to the waterside pump house.	Sacramento River West Side Levee District	The Board, acting as the CEQA lead agency, has determined the project is exempt from CEQA under a Class 2 Categorical Exemption (CEQA Guidelines Section 15302) covering replacement of existing structures.