

Central Valley Flood Protection Board

Executive Officer Delegation Report

Posting Date: June 13th, 2022

Meeting Date: June 24th, 2022

Number of Applications Scheduled: 16

Application Number: 11788-1

Applicant: Shingle Springs Band of Miwok Indians

Location Description: The gates are located across the left (east) levee crown of the Sacramento River, approximately 850-ft upstream from the confluence with the Natomas Cross Canal,

County: Sutter

Stream: Sacramento River

Project Description: This is a "name change" permit that includes conditions that are consistent with current flood control standards and policies of the Central Valley Flood Protection Board. This permit supplements Permit No. 11788 that was issued to Gary S. Kaveney on 12/17/1976 to install two steel gates across the levee crown on the left bank of the Feather River near the confluence of the Sacramento River.

LMA Endorsement: Reclamation District 1001

CEQA Finding: Board staff has determined that an application to change the name of the permittee does not have the potential to result in either a direct physical change in the environment or a reasonably foreseeable indirect physical change in the environment, and thus, is not a "project" for purposes of the California Environmental Quality Act (Public Resources Code § 21065; CEQA Guidelines § 15378(a)).

Application Number: 1271-1

Applicant: Valleypoint Ent / Top Flight Registry Inc

Location Description: On the river side of the levee on the left bank of the Feather River at a location about 3.0 miles upstream from Verona, R.D. No. 1001, Sutter County

County: Sutter

Stream: Feather River

Project Description: This is a "name change" permit only and includes conditions that are consistent with current flood control standards and policies of the Central Valley Flood Protection Board. This permit supplements Permit No. 1271 that was issued to Thos. J. and Inez Johnston on May 24, 1948, for the approval of plans for the construction of a residence, with pump house and appurtenances, on a mound on the river side of the levee on the left bank of the Feather River.

LMA Endorsement: Reclamation District 1001

CEQA Finding: Board staff has determined that an application to change the name of the permittee does not have the potential to result in either a direct physical change in the environment or a reasonably foreseeable indirect physical change in the environment, and thus, is not a "project" for

purposes of the California Environmental Quality Act (Public Resources Code § 21065; CEQA Guidelines § 15378(a)).

Application Number: 1336-1

Applicant: Andy Chen

Location Description: Permit for existing service/fueling station located on the waterside crown of the right bank of the Sacramento River Levee Mile 1.57, Unit 1 near Steamboat Slough Bridge

County: Sacramento

Stream: Sacramento River

Project Description: This is a “name change” permit only and includes conditions that are consistent with current flood control standards and policies of the Central Valley Flood Protection Board. This permit supplements Permit No. 1336 that was issued to L.C. PECK on October 6, 1948, to authorize: the reconstruction of a filling station and store building, on the waterward edge of the crown of the levee on the right bank of the Sacramento River immediately above Steamboat Slough Highway Bridge.

LMA Endorsement: Reclamation District 349

CEQA Finding: Board staff has determined that an application to change the name of the permittee does not have the potential to result in either a direct physical change in the environment or a reasonably foreseeable indirect physical change in the environment, and thus, is not a “project” for purposes of the California Environmental Quality Act (Public Resources Code § 21065; CEQA Guidelines § 15378(a)).

Application Number: 17806-1

Applicant: 17806-1

Location Description: The project is located in Marysville, east of Highway 70, along the right (north) bank of the Yuba River at landside and waterside points in the proximity of the terminus of 4th Street at the levee.

County: Yuba

Stream: Yuba River

Project Description: To relocate the Smartville-Marysville 60 kV and Pease-Marysville-Harter 60kV electric transmission lines with overhead distribution lines along the waterside embankment of the right (north) bank of the Yuba River as part of Phase 2B of the USACE Marysville Ring Levee Project. Work includes installing twelve distribution poles (4 temporary), removing seven distribution poles, replacing five distribution poles, and permitting four existing transmission poles along with overhead electrical facilities.

LMA Endorsement: Marysville Levee District

CEQA Finding: The Board, as a lead agency under CEQA, and the USACE, as a lead agency under NEPA, prepared the following documents:

- Yuba River Basin, California Project –MRL Improvements Project EA/IS/MND (SCH) No. 20100024001, April 2010) and MMRP;
- The MRL Phases 2A South and 2C Supplemental EA/IS/MND (SCH No. 2010024001, January 2018) and Supplement to the MMRP (2018 Phases 2AS and 2C Supplemental EA/IS/MND);
- The MRL Phase 2B and 3 Project Supplemental EA/IS/MND (SCH No. 20100024001, July 2019) and Supplement to the MMRP;

- MRL Phase 2B and 3 Utility Relocation Draft and Final Supplemental EA/IS/MND (SCH No. 20100024001, February 2021) (2021 Phases 2B and 3 Utility Supplemental IS/MND), and Supplement to the MMRP;
- August 2021 Addendum to the 2018 Phases 2AS and 2C Supplemental EA/IS/MND and the 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND (2021 Addendum to 2018 and 2021 Supplemental EA/IS/MND's).
- November 2021 Addendum to the 2021 Phases 2 B and 3 Utility Supplemental EA/IS/MND (2021 Addendum to 2021 Supplemental EA/IS/MND)

The Draft and Final 2021 Phases 2B and 3 Utility Supplemental IS/MND, the 2021 Addendum to 2018 and 2021 Supplemental EA/IS/MND's, as well as the November 2021 Addendum to the 2021 Supplemental EA/IS/MND's considered the environmental impacts and required mitigation measures for the Projects proposed under Permit No. 17806-1. The Board determined that the project described in the Final 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND would not have a significant effect on the environment and approved the project and Resolution 2021-03 adopting the 2021 Phases 2B and 3 Utility Supplemental IS/MND, and Supplement to the MMRP for the Project. The Board filed a Notice of Determination with the State Clearinghouse on February 26, 2021. The Board's environmental analysis within the Final 2021 Phases 2B and 3 Utility Supplemental IS/MND concluded that utility relocations could have potentially significant impacts on greenhouses gases, public utilities, water resources and water quality, special status species, air quality, vegetation and wildlife, cultural resources, and agriculture and prime and unique farmland, but the avoidance and mitigation measures included in the 2010 MRL Project EA/IS/MND, 2019 Phases 2B and 3 Supplemental EA/IS/MND, and the recently approved 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND could avoid or reduce these impacts to less than significant levels. Board staff finds that Permit No. 17806-1 described herein is consistent with the 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND and subsequent addendums and would result in no new adverse environmental impacts, and that no new mitigation measures are required pursuant to CEQA Guidelines Section 15162. These documents which constitute the administrative record of the Board in this matter are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

Application Number: 18431

Applicant: Pacific Gas and Electric

Location Description: The project is located in Marysville, east of Highway 70 along the right (north) bank of the Yuba River at landside and waterside locations in the proximity of B, Chestnut, and Second Streets and the Southern Pacific Railroad with another location on the left (south) bank of the Yuba River near the railroad.

County: Yuba

Stream: Yuba River

Project Description: To relocate the Nicolaus-Marysville 60 kV electric transmission line and overhead distribution lines across the Yuba River and along the embankment of the right (north) bank of the Yuba River as part of Phase 2B of the USACE Marysville Ring Levee Project. Work includes installing two tubular steel transmission poles, new anchors to a transmission pole, removing seven transmission poles, removing six wood distribution poles, and permitting an existing distribution pole.

LMA Endorsement: Marysville Levee District

CEQA Finding: The Board, as a lead agency under CEQA, and the USACE, as a lead agency under NEPA, prepared the following documents:

- Yuba River Basin, California Project –MRL Improvements Project EA/IS/MND (SCH) No. 20100024001, April 2010) and MMRP;
- The MRL Phases 2A South and 2C Supplemental EA/IS/MND (SCH No. 2010024001, January 2018) and Supplement to the MMRP (2018 Phases 2AS and 2C Supplemental EA/IS/MND);
- The MRL Phase 2B and 3 Project Supplemental EA/IS/MND (SCH No. 2010024001, July 2019) and Supplement to the MMRP;
- MRL Phase 2B and 3 Utility Relocation Draft and Final Supplemental EA/IS/MND (SCH No. 2010024001, February 2021) (2021 Phases 2B and 3 Utility Supplemental IS/MND), and Supplement to the MMRP;
- August 2021 Addendum to the 2018 Phases 2AS and 2C Supplemental EA/IS/MND and the 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND (2021 Addendum to 2018 and 2021 Supplemental EA/IS/MND's).
- November 2021 Addendum to the 2021 Phases 2 B and 3 Utility Supplemental EA/IS/MND (2021 Addendum to 2021 Supplemental EA/IS/MND) The Draft and Final 2021 Phases 2B and 3 Utility Supplemental IS/MND, the 2021 Addendum to 2018 and 2021 Supplemental EA/IS/MND's, as well as the November 2021 Addendum to the 2021 Supplemental EA/IS/MND's considered the environmental impacts and required mitigation measures for the Projects proposed under Permit No. 18431. The Board determined that the project described in the Final 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND would not have a significant effect on the environment and approved the project and Resolution 2021-03 adopting the 2021 Phases 2B and 3 Utility Supplemental IS/MND, and Supplement to the MMRP for the Project. The Board filed a Notice of Determination with the State Clearinghouse on February 26, 2021. The Board's environmental analysis within the Final 2021 Phases 2B and 3 Utility Supplemental IS/MND concluded that utility relocations could have potentially significant impacts on greenhouses gases, public utilities, water resources and water quality, special status species, air quality, vegetation and wildlife, cultural resources, and agriculture and prime and unique farmland, but the avoidance and mitigation measures included in the 2010 MRL Project EA/IS/MND, 2019 Phases 2B and 3 Supplemental EA/IS/MND, and the recently approved 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND would avoid or reduce these impacts to less than significant levels. Board staff finds that Permit No. 18431 described herein is consistent with the 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND and subsequent addendums and would result in no new adverse environmental impacts, and that no new mitigation measures are required pursuant to CEQA Guidelines Section 15162. These documents which constitute the administrative record of the Board in this matter are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

Application Number: 19120-1

Applicant: Marcella J. Mojibi & David A. Cattanach

Location Description: The project is located at 2489 Garden Highway in Sacramento.

County: Sacramento

Stream: Sacramento River

Project Description: This is a "name change" permit that includes conditions that are consistent with current flood control standards and policies of the Central Valley Flood Protection Board. This permit supplements Permit No. 19120 that was issued to Esperanza Ross and Brian Flaherty on 6/3/2019 to construct a new dwelling, approximately 1500-square-feet, with an attached garage and two attached covered decks; To drill a new water well; To construct a new masonry fence with gates; To construct a 42 by 26.5-foot floating boat dock, 20 by 18-foot concrete deadman, and a 70-foot long gangway; To install a new concrete driveway; To install a new sprinkler system, septic system, and drain field; To plant vegetation all on the left (east) bank levee of the Sacramento River.

LMA Endorsement: Reclamation District 1000

CEQA Finding: Board staff has determined that an application to change the name of the permittee does not have the potential to result in either a direct physical change in the environment or a reasonably foreseeable indirect physical change in the environment, and thus, is not a “project” for purposes of the California Environmental Quality Act (Public Resources Code § 21065; CEQA Guidelines § 15378(a)).

Application Number: 19650

Applicant: Pacific Gas and Electric Company

Location Description: This project is located along the right (north) bank of the Yuba River at waterside and landside locations adjacent to Highway 20 from East 17th Street (Sta 355+00) northwest to the intersection with the Simmerly Slough Levee on the northwestern boundary of the city (Sta 1+00).

County: Yuba

Stream: Yuba River

Project Description: To relocate the Smartville-Marysville 60 kV and Pease-Marysville-Harter 60kV electric transmission lines with overhead distribution lines along the waterside embankment of the right (north) bank of the Yuba River as part of Phase 3, Segment A of the USACE Marysville Ring Levee Project. Work includes installing 20 transmission poles (15 light-duty steel, 4 tubular steel, and 1 wood), installing one wood distribution pole, removing 23 transmission poles, replacing anchors on two transmission poles, and permitting an existing transmission pole.

LMA Endorsement: Marysville Levee District

CEQA Finding: CEQA Finding: The Board, as a lead agency under CEQA, and USACE, as a lead agency under the National Environmental Policy Act (NEPA), prepared the following documents:

- Yuba River Basin, California Project – Marysville Ring Levee (MRL) Improvements Project Environmental Assessment/Initial Study/Mitigated Negative Declaration (EA/IS/MND) (SCH No. 20100024001, April 2010) and MMRP;
- The MRL Phases 2A South and 2C Supplemental EA/IS/MND (SCH No. 2010024001, January 2018) and Supplement to the MMRP (2018 Phases 2AS and 2C Supplemental EA/IS/MND);
- The MRL Phase 2B and 3 Project Supplemental EA/IS/MND (SCH No. 20100024001, July 2019) and Supplement to the MMRP;
- MRL Phase 2B and 3 Utility Relocation Draft and Final Supplemental EA/IS/MND (SCH No. 20100024001, February 2021) (2021 Phases 2B and 3 Utility Supplemental IS/MND), and Supplement to the MMRP;
- August 2021 Addendum to the 2018 Phases 2AS and 2C Supplemental EA/IS/MND and the 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND (2021 Addendum to 2018 and 2021 Supplemental EA/IS/MND's); and
- Addendum to the 2021 Phases 2 B and 3 Utility Supplemental EA/IS/MND (2021 Addendum to 2021 Supplemental EA/IS/MND).

The Draft and Final 2021 Phases 2B and 3 Utility Supplemental IS/MND, the August 2021 Addendum to 2018 and 2021 Supplemental EA/IS/MND, as well as the November 2021 Addendum to the 2021 Supplemental EA/IS/MND considered the environmental impacts and required mitigation measures for the Projects proposed under Permit No. 19650. The Board determined that the project described in the Final 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND would not have a significant effect on the environment and approved the project and Resolution 2021-03 adopting the 2021 Phases 2B and 3 Utility Supplemental IS/MND, and Supplement to the MMRP for the Project. The Board filed a Notice of

Determination with the State Clearinghouse on February 26, 2021. The Board's environmental analysis within the Final 2021 Phases 2B and 3 Utility Supplemental IS/MND concluded that utility relocations could have potentially significant impacts on greenhouse gases, public utilities, water resources and water quality, special status species, air quality, vegetation and wildlife, cultural resources, and agriculture and prime and unique farmland, but the avoidance and mitigation measures included in the 2010 MRL Project EA/IS/MND, 2019 Phases 2B and 3 Supplemental EA/IS/MND, and the recently approved 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND would avoid or reduce these impacts to less than significant levels. Board staff finds that Permit No. 19650 described herein is consistent with the 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND and subsequent addendums and would result in no new adverse environmental impacts, and that no new mitigation measures are required pursuant to CEQA Guidelines Section 15162. These documents which constitute the administrative record of the Board in this matter are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

Application Number: 19651

Applicant: Pacific Gas and Electric Company

Location Description: The project is located in Marysville, east of Highway 70, along the right (north) bank of the Yuba River at waterside locations in the proximity of 14th Street northeast to 17th Street.

County: Yuba

Stream: Yuba River

Project Description: To relocate the Smartville-Marysville 60 kV and Pease-Marysville-Harter 60kV electric transmission lines with overhead distribution lines along the waterside embankment of the right (north) bank of the Yuba River as part of Phase 3, Segment B of the USACE Marysville Ring Levee Project. Work includes installing 12 transmission poles (10 light-duty steel and 2 tubular steel), removing 12 transmission poles, removing a streetlight, and installing one wood distribution pole along with overhead electrical facilities.

LMA Endorsement: Marysville Levee District

CEQA Finding: The Board, as a lead agency under the California Environmental Quality Act, and the United States Army Corps of Engineers, as a lead agency under the National Environmental Policy Act, prepared the following documents:

- Yuba River Basin, California Project – Marysville Ring Levee (MRL) Improvements Project Environmental Assessment/Initial Study/Mitigated Negative Declaration (EA/IS/MND) (State Clearinghouse (SCH) No. 20100024001, April 2010) and Mitigated Monitoring and Reporting Program (MMRP).
- The MRL Phases 2A South and 2C Supplemental EA/IS/MND (SCH No. 2010024001, January 2018) and Supplement to the MMRP (2018 Phases 2AS and 2C Supplemental EA/IS/MND).
- The MRL Phase 2B and 3 Project Supplemental EA/IS/MND (SCH No. 20100024001, July 2019) and Supplement to the MMRP.
- MRL Phase 2B and 3 Utility Relocation Draft and Final Supplemental EA/IS/MND (SCH No. 20100024001, February 2021) (2021 Phases 2B and 3 Utility Supplemental IS/MND), and Supplement to the MMRP.

- August 2021 Addendum to the 2018 Phases 2AS and 2C Supplemental EA/IS/MND and the 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND (2021 Addendum to 2018 and 2021 Supplemental EA/IS/MND's).

The Draft and Final 2021 Phases 2B and 3 Utility Supplemental IS/MND and the 2021 Addendum to 2018 and 2021 Supplemental EA/IS/MND's considered the environmental impacts and required mitigation measures for the Projects proposed under Permit No.'s 2663-1, 17806-1, 18431, T2021050, T2021051, T2021053, T2021054, and T2021055. The Board determined that the project described in the Final 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND would not have a significant effect on the environment and approved the project and Resolution 2021-03 adopting the 2021 Phases 2B and 3 Utility Supplemental IS/MND, and Supplement to the MMRP for the Project. The Board filed a Notice of Determination with the State Clearinghouse on February 26, 2021. The Board's environmental analysis within the Final 2021 Phases 2B and 3 Utility Supplemental IS/MND concluded that utility relocations could have potentially significant impacts on greenhouses gases, public utilities, water resources and water quality, special status species, air quality, vegetation and wildlife, cultural resources, and agriculture and prime and unique farmland, but the avoidance and mitigation measures included in the 2010 MRL Project EA/IS/MND, 2019 Phases 2B and 3 Supplemental EA/IS/MND, and the recently approved 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND would avoid or reduce these impacts to less than significant levels. Board staff finds that Permit No.'s 2663-1, 17806-1, 18431, T2021050, T2021051, T2021053, T2021054, and T2021055 described herein are consistent with the 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND and would result in no new adverse environmental impacts, and that no new mitigation measures are required pursuant to CEQA Guidelines Section 15162. These documents which constitute the administrative record of the Board in this matter are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

Application Number: 19652

Applicant: Pacific Gas and Electric Company

Location Description: The project is located in Marysville, east of Highway 70 along the right (north) bank of the Yuba River at landside and waterside locations from Ramirez Street/Simpson Lane northeast to approximately Covillaud Street.

County: Yuba

Stream: Yuba River

Project Description: To relocate the Smartville-Marysville 60 kV and Pease-Marysville-Harter 60kV electric transmission lines with overhead distribution lines along the waterside embankment of the right (north) bank of the Yuba River as part of Phase 3, Segment C of the USACE Marysville Ring Levee Project. Work includes installing 14 transmission poles (nine wood and five tubular steel), removing 16 transmission poles, installing five wood distribution poles, removing eight distribution poles, and replacing two wood distribution poles along with relocating overhead electrical facilities.

LMA Endorsement: N/A

CEQA Finding: The Board, as a lead agency under CEQA, and the USACE, as a lead agency under NEPA, prepared the following documents:

- Yuba River Basin, California Project –MRL Improvements Project EA/IS/MND (SCH) No. 20100024001, April 2010) and MMRP;
- The MRL Phases 2A South and 2C Supplemental EA/IS/MND (SCH No. 2010024001, January 2018) and Supplement to the MMRP (2018 Phases 2AS and 2C Supplemental EA/IS/MND);

- The MRL Phase 2B and 3 Project Supplemental EA/IS/MND (SCH No. 20100024001, July 2019) and Supplement to the MMRP;
- MRL Phase 2B and 3 Utility Relocation Draft and Final Supplemental EA/IS/MND (SCH No. 20100024001, February 2021) (2021 Phases 2B and 3 Utility Supplemental IS/MND), and Supplement to the MMRP;
- August 2021 Addendum to the 2018 Phases 2AS and 2C Supplemental EA/IS/MND and the 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND (2021 Addendum to 2018 and 2021 Supplemental EA/IS/MND's); and
- November 2021 Addendum to the 2021 Phases 2 B and 3 Utility Supplemental EA/IS/MND (2021 Addendum to 2021 Supplemental EA/IS/MND)

The Draft and Final 2021 Phases 2B and 3 Utility Supplemental IS/MND, the August 2021 Addendum to 2018 and 2021 Supplemental EA/IS/MND, as well as the November 2021 Addendum to the 2021 Supplemental EA/IS/MND considered the environmental impacts and required mitigation measures for the Projects proposed under Permit No. 19652. The Board determined that the project described in the Final 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND would not have a significant effect on the environment and approved the project and Resolution 2021-03 adopting the 2021 Phases 2B and 3 Utility Supplemental IS/MND, and Supplement to the MMRP for the Project. The Board filed a Notice of Determination with the State Clearinghouse on February 26, 2021. The Board's environmental analysis within the Final 2021 Phases 2B and 3 Utility Supplemental IS/MND concluded that utility relocations could have potentially significant impacts on greenhouses gases, public utilities, water resources and water quality, special status species, air quality, vegetation and wildlife, cultural resources, and agriculture and prime and unique farmland, but the avoidance and mitigation measures included in the 2010 MRL Project EA/IS/MND, 2019 Phases 2B and 3 Supplemental EA/IS/MND, and the recently approved 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND would avoid or reduce these impacts to less than significant levels. Board staff finds that Permit No 19652 described herein is consistent with the 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND and subsequent addendums and would result in no new adverse environmental impacts, and that no new mitigation measures are required pursuant to CEQA Guidelines Section 15162. These documents which constitute the administrative record of the Board in this matter are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

Application Number: 19653

Applicant: Pacific Gas and Electric Company

Location Description: The project is located in Marysville, east of Highway 70 along the right (north) bank of the Yuba River at landside and waterside locations in the between approximately 5th Street and Simpson Lane.

County: Yuba

Stream: Yuba River

Project Description: To relocate the Smartville-Marysville 60 kV and Pease-Marysville-Harter 60kV electric transmission lines with overhead distribution lines along the waterside embankment of the right (north) bank of the Yuba River as part of Phase 2B of the USACE Marysville Ring Levee Project. Work includes installing seven light-duty steel transmission poles, two wood transmission guy stubs, two wood distribution poles, install one anchor and replace one anchor; remove eight transmission poles and one distribution pole; replace two light-duty steel poles, and to permit one existing pole along with overhead electrical facilities.

LMA Endorsement: Marysville Levee District

CEQA Finding: The Board, as a lead agency under CEQA, and the USACE, as a lead agency under NEPA, prepared the following documents:

- Yuba River Basin, California Project –MRL Improvements Project EA/IS/MND (SCH) No. 20100024001, April 2010) and MMRP;
- The MRL Phases 2A South and 2C Supplemental EA/IS/MND (SCH No. 2010024001, January 2018) and Supplement to the MMRP (2018 Phases 2AS and 2C Supplemental EA/IS/MND);
- The MRL Phase 2B and 3 Project Supplemental EA/IS/MND (SCH No. 20100024001, July 2019) and Supplement to the MMRP;
- MRL Phase 2B and 3 Utility Relocation Draft and Final Supplemental EA/IS/MND (SCH No. 20100024001, February 2021) (2021 Phases 2B and 3 Utility Supplemental IS/MND), and Supplement to the MMRP;
- August 2021 Addendum to the 2018 Phases 2AS and 2C Supplemental EA/IS/MND and the 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND (2021 Addendum to 2018 and 2021 Supplemental EA/IS/MND's); and
- November 2021 Addendum to the 2021 Phases 2 B and 3 Utility Supplemental EA/IS/MND (2021 Addendum to 2021 Supplemental EA/IS/MND)

The Draft and Final 2021 Phases 2B and 3 Utility Supplemental IS/MND, the 2021 Addendum to 2018 and 2021 Supplemental EA/IS/MND, as well as the November 2021 Addendum to the 2021 Supplemental EA/IS/MND considered the environmental impacts and required mitigation measures for the Projects proposed under Permit No 19653. The Board determined that the project described in the Final 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND would not have a significant effect on the environment and approved the project and Resolution 2021-03 adopting the 2021 Phases 2B and 3 Utility Supplemental IS/MND, and Supplement to the MMRP for the Project. The Board filed a Notice of Determination with the State Clearinghouse on February 26, 2021. The Board's environmental analysis within the Final 2021 Phases 2B and 3 Utility Supplemental IS/MND concluded that utility relocations could have potentially significant impacts on greenhouses gases, public utilities, water resources and water quality, special status species, air quality, vegetation and wildlife, cultural resources, and agriculture and prime and unique farmland, but the avoidance and mitigation measures included in the 2010 MRL Project EA/IS/MND, 2019 Phases 2B and 3 Supplemental EA/IS/MND, and the recently approved 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND would avoid or reduce these impacts to less than significant levels. Board staff finds that Permit No. 19653 described herein is consistent with the 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND and subsequent addendums and would result in no new adverse environmental impacts, and that no new mitigation measures are required pursuant to CEQA Guidelines Section 15162. These documents which constitute the administrative record of the Board in this matter are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

Application Number: 19654

Applicant: Pacific Gas and Electric Company

Location Description: The project is located on the landside of the right (north) bank of the Yuba River approximately 150 feet south of 4th Street along the levee.

County: Yuba

Stream: Yuba River

Project Description: To install approximately 80 feet of 6-inch underground electrical conduit from a wood distribution pole located on the landside embankment of the right (north) levee of the Yuba River as part of utility relocation work in the Marysville Ring Levee Project, Phase 2B.

LMA Endorsement: N/A

CEQA Finding: CEQA Finding: The Board, as a lead agency under CEQA, and the USACE, as a lead agency under NEPA, prepared the following documents:

- Yuba River Basin, California Project –MRL Improvements Project EA/IS/MND (SCH No. 2010024001, April 2010) and MMRP;
- The MRL Phases 2A South and 2C Supplemental EA/IS/MND (SCH No. 2010024001, January 2018) and Supplement to the MMRP (2018 Phases 2AS and 2C Supplemental EA/IS/MND);
- The MRL Phase 2B and 3 Project Supplemental EA/IS/MND (SCH No. 2010024001, July 2019) and Supplement to the MMRP;
- MRL Phase 2B and 3 Utility Relocation Draft and Final Supplemental EA/IS/MND (SCH No. 2010024001, February 2021) (2021 Phases 2B and 3 Utility Supplemental IS/MND), and Supplement to the MMRP;
- August 2021 Addendum to the 2018 Phases 2AS and 2C Supplemental EA/IS/MND and the 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND (2021 Addendum to 2018 and 2021 Supplemental EA/IS/MND's); and
- November 2021 Addendum to the 2021 Phases 2 B and 3 Utility Supplemental EA/IS/MND (2021 Addendum to 2021 Supplemental EA/IS/MND).

The Draft and Final 2021 Phases 2B and 3 Utility Supplemental IS/MND, the August 2021 Addendum to the 2018 and 2021 Supplemental EA/IS/MND's, as well as the November 2021 Addendum to the 2021 Supplemental EA/IS/MND considered the environmental impacts and required mitigation measures for the project proposed under Permit No. 19654. The Board determined that the project described in the Final 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND would not have a significant effect on the environment and approved the project and Resolution 2021-03 adopting the 2021 Phases 2B and 3 Utility Supplemental IS/MND, and Supplement to the MMRP for the Project. The Board filed a Notice of Determination with the State Clearinghouse on February 26, 2021. The Board's environmental analysis within the Final 2021 Phases 2B and 3 Utility Supplemental IS/MND concluded that the project could have potentially significant impacts on greenhouses gases, public utilities, water resources and water quality, special status species, air quality, vegetation and wildlife, cultural resources, and agriculture and prime and unique farmland, but the avoidance and mitigation measures included in the 2010 MRL Project EA/IS/MND, 2019 Phases 2B and 3 Supplemental EA/IS/MND, and the 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND would avoid or reduce these impacts to less than significant levels. Board staff finds that Permit No. 19654 described herein is consistent with the 2021 Phases 2B and 3 Utility Supplemental EA/IS/MND and subsequent addendums and would result in no new adverse environmental impacts, and that no new mitigation measures are required pursuant to CEQA Guidelines Section 15162. These documents which constitute the administrative record of the Board in this matter are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

Application Number: 3310-1

Applicant: Andy Chen

Location Description: Permit for existing house, walkway from the porch to the top of the levee and associated foundation within the landside, right bank of Steamboat Slough, Levee Mile 0.01 Unit 2, Reclamation District 349.

County: Sacramento

Stream: Sacramento River

Project Description: This is a “name change” permit only and includes conditions that are consistent with current flood control standards and policies of the Central Valley Flood Protection Board. This permit supplements Permit No. 3310 that was issued to STANLEY PECK on April 6, 1960, to authorize: construction of a house, walkway from the porch to the top of the levee and excavation in levee for foundation of walkway on the right bank levee of Steamboat Slough near the junction with the Sacramento River.

LMA Endorsement: Reclamation District 349

CEQA Finding: Board staff has determined that an application to change the name of the permittee does not have the potential to result in either a direct physical change in the environment or a reasonably foreseeable indirect physical change in the environment, and thus, is not a “project” for purposes of the California Environmental Quality Act (Public Resources Code § 21065; CEQA Guidelines § 15378(a)).

Application Number: 4269B

Applicant: Andy Chen

Location Description: Permit for existing decking, support structure, and landscaping approximately 200 feet in length on the waterside, right bank of Steamboat Slough, Levee Mile 0.01 Unit 2, Reclamation District 349.

County: Sacramento

Stream: Sacramento River

Project Description: This is a “name change” permit only and includes conditions that are consistent with current flood control standards and policies of the Central Valley Flood Protection Board. This permit supplements Permit No. 4269A that was issued to STANLEY PECK on April 25, 1975, to authorize: and construct raised planters and three redwood decks on the waterward slope of the right bank levee of Steamboat Slough. An 8-foot high fence will be constructed along the waterward shoulder of the levee for a distance of approximately 150 feet.

LMA Endorsement: Reclamation District 349

CEQA Finding: Board staff has determined that an application to change the name of the permittee does not have the potential to result in either a direct physical change in the environment or a reasonably foreseeable indirect physical change in the environment, and thus, is not a “project” for purposes of the California Environmental Quality Act (Public Resources Code § 21065; CEQA Guidelines § 15378(a)).

Application Number: 5189-1

Applicant: Shingle Springs Band of Miwok Indians

Location Description: on the left bank of the Sacramento River near its confluence with the Feather River, levee mile 12.72, Unit No. 4, Reclamation District No. 1001, Section 23, T11N, R3E, M.D.B.&M. Sutter County.

County: Sutter

Stream: Sacramento River

Project Description: This is a "name change" permit that includes conditions that are consistent with current flood control standards and policies of the Central Valley Flood Protection Board. This permit supplements Permit No. 5189 that was issued to Baker, Merle Q. and Florence M. on 12/2/1965 for placement of earthfill and construction of a single family dwelling on the left bank of the Sacramento River near its confluence with the Feather River.

LMA Endorsement: Reclamation District 1001

CEQA Finding: Board staff has determined that an application to change the name of the permittee does not have the potential to result in either a direct physical change in the environment or a reasonably foreseeable indirect physical change in the environment, and thus, is not a "project" for purposes of the California Environmental Quality Act (Public Resources Code § 21065; CEQA Guidelines § 15378(a)).

Application Number: 6545-2

Applicant: Shingle Springs Band of Miwok Indians

Location Description: The existing encroachments are located within the left (east) bank overflow area of the Sacramento River within the community of Verona.

County: Sutter

Stream: Sacramento River

Project Description: This is a "name change" permit that includes conditions that are consistent with current flood control standards and policies of the Central Valley Flood Protection Board. This permit supplements Permit No. 6545-1 that was issued to Greg Walker on 5/3/2019 to install a new water well at Verona Marina adjacent to the existing water well which was abandoned, and Permit No. 6545 issued to Ms. Florence M. Baker on May 16, 1969, for the construction of boating facilities, ramps, campsites, recreational trailer sites, mobile home park, septic tank system, water well and three buildings.

LMA Endorsement: Reclamation District 1001

CEQA Finding: Board staff has determined that an application to change the name of the permittee does not have the potential to result in either a direct physical change in the environment or a reasonably foreseeable indirect physical change in the environment, and thus, is not a "project" for purposes of the California Environmental Quality Act (Public Resources Code § 21065; CEQA Guidelines § 15378(a)).

Application Number: 19662 (POSTED 06/21/2022)

Applicant: PG&E

Location Description: This project begins at the intersection of Old River Road and Levee Road, and extends approximately 3,100 feet north along Old River Road.

County: Yolo

Stream: Sacramento River

Project Description: For authorization to place 15 temporary wooden poles (15-in dia, 50-ft length, 8ft embedment depth) with overhead lines (PG&E and AT&T) along the waterside of Old Rover Road (12-ft waterward from edge of pavement) to relocate their facilities for the construction of the Sacramento Weir Widening Project. The temporary poles will be located for a duration of up to 42 months and will be removed after construction. The poles will be auger drilled with spoils becoming property of PG&E. There are 2 proposed overhead crossings of the levee/Old River Road, one at the northern end of the project and another at the southern end. The poles will be owned by both PG&E and AT&T. (PG&E Project 35159551)

LMA Endorsement: Sacramento Maintenance Yard

Permit 19662 Cont.

CEQA Finding: The Board, as lead agency, certified the ARCF GRR Final EIS/EIR (SCH 2005072046) through Board Resolution 2016-04 including a Statement of Findings, Statement of Overriding Considerations, and a Mitigation Monitoring, and Reporting Program (MMRP), and filed a Notice of Determination on June 9, 2016 approving the ARCF Project. Some elements of the Sacramento Weir Widening Project (passive weir design and fish passage structure) were not analyzed in the ARCF GRR Final EIS/EIR, because the project design had not yet been developed to a level to provide the specificity required for project implementation. To address project modifications and refinements since publication of the ARCF GRR EIS/EIR, the USACE and Board prepared a joint Supplemental EIS/EIR for the Sacramento Weir Widening Project (SCH 2020070575).

The Board, as lead agency, certified the Sacramento Weir Widening Supplemental EIS/EIR (SCH 2020070575) through Board Resolution 2021-07 Statement of Findings, Statement of Overriding Considerations, and a Mitigation Monitoring, and Reporting Program (MMRP), and filed a Notice of Determination on August 30, 2021. The proposed temporary placement of telecommunication poles is covered by the Supplemental EIS/EIR, which was prepared pursuant to CEQA Guidelines § 15178 incorporates the ARCF GRR EIS/EIR by reference.

The Board's environmental analysis within the Final 2021 Supplemental EIS/EIR concluded that the installation of utilities would have a less-than significant impact on public utilities and service systems after incorporation of the mitigation measures included in the ARCF GRR Final EIS/EIR, and the Sacramento Weir Widening Supplemental EIS/EIR.

Board staff finds that Permit No.19662 described herein is consistent with the ARCF GRR Final EIS/EIR and the Sacramento Weir Widening Supplemental EIS/EIR and would result in no new adverse environmental impacts, and that no new mitigation measures are required pursuant to CEQA Guidelines Section 15162.

These documents which constitute the administrative record of the Board in this matter are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.