

# **Central Valley Flood Protection Board**

## **Executive Officer Delegation Report**

Posting Date: July 11th, 2022

Meeting Date: July 29th, 2022

Number of Applications Scheduled: 29

### **Application Number: 1271-1 (Posted 07/18/2022)**

Applicant: Kelly Walubengo

Location Description: On the river side of the levee on the left bank of the Feather River at a location about 3.0 miles upstream from Verona, R.D. No. 1001, Sutter County

County: Sutter

Stream: Feather River

Project Description: This is a “name change” permit only and includes conditions that are consistent with current flood control standards and policies of the Central Valley Flood Protection Board. This permit supplements Permit No. 1271 that was issued to Thos. J. and Inez Johnston on May 24, 1948, for the approval of plans for the construction of a residence, with pump house and appurtenances, on a mound on the river side of the levee on the left bank of the Feather River.

LMA: Reclamation District 1001

CEQA Finding: Board staff has determined that an application to change the name of the permittee does not have the potential to result in either a direct physical change in the environment or a reasonably foreseeable indirect physical change in the environment, and thus, is not a “project” for purposes of the California Environmental Quality Act (Public Resources Code § 21065; CEQA Guidelines § 15378(a)).

### **Application Number: 17806-1 (Posted 07/18/2022)**

Applicant: Pacific Gas and Electric Co.

Location Description: The project is located in Marysville, east of Highway 70, along the right (north) bank of the Yuba River at landside and waterside points in the proximity of the terminus of 4th Street at the levee

County: Yuba

Stream: Yuba River

Project Description: To relocate the Smartville-Marysville 60 kV and Pease-Marysville-Harter 60kV electric transmission lines with overhead distribution lines along the waterside embankment of the right (north) bank of the Yuba River as part of Phase 2B of the USACE Marysville Ring Levee Project. Work includes installing twelve distribution poles (4 temporary), removing seven distribution poles, replacing five distribution poles, and permitting our existing transmission poles along with overhead electrical facilities.

LMA Endorsement: Marysville Levee District

CEQA Finding: The Board, as lead agency, certified the ARCF GRR Final EIS/EIR (SCH 2005072046) through Board Resolution 2016-04 including a Statement of Findings, Statement of Overriding Considerations, and a Mitigation Monitoring, and Reporting Program (MMRP), and filed a Notice of Determination on June 9, 2016 approving the ARCF Project. Some elements of the Sacramento Weir Widening Project (passive weir design and fish passage structure) were not analyzed in the ARCF GRR Final EIS/EIR, because the project design had not yet been developed to a level to provide the specificity required for project implementation. To address project modifications and refinements since publication of the ARCF GRR EIS/EIR, the USACE and Board prepared a joint Supplemental EIS/EIR for the Sacramento Weir Widening Project (SCH 2020070575). The Board, as lead agency, certified the Sacramento Weir Widening Supplemental EIS/EIR (SCH 2020070575) through Board Resolution 2021-07 Statement of Findings, Statement of Overriding Considerations, and a Mitigation Monitoring, and Reporting Program (MMRP), and filed a Notice of Determination on August 30, 2021. The proposed temporary placement of telecommunication poles is covered by the Supplemental EIS/EIR, which was prepared pursuant to CEQA Guidelines § 15178 incorporates the ARCF GRR EIS/EIR by reference. The Board's environmental analysis within the Final 2021 Supplemental EIS/EIR concluded that the installation of utilities would have a less-than significant impact on public utilities and service systems after incorporation of the mitigation measures included in the ARCF GRR Final EIS/EIR, and the Sacramento Weir Widening Supplemental EIS/EIR. Board staff finds that Permit No.19662 described herein is consistent with the ARCF GRR Final EIS/ EIR and the Sacramento Weir Widening Supplemental EIS/EIR and would result in no new adverse environmental impacts, and that no new mitigation measures are required pursuant to CEQA Guidelines Section 15162. These documents which constitute the administrative record of the Board in this matter are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

**Application Number: 19662 (Posted 06/21/2022)**

Applicant: PG&E

Location Description: This project begins at the intersection of Old River Road and Levee Road, and extends approximately 3,100 feet north along Old River Road.

County: Yolo

Stream: Sacramento River

Project Description: For authorization to place 15 temporary wooden poles (15-in dia, 50-ft length, 8ft embedment depth) with overhead lines (PG&E and AT&T) along the waterside of Old River Road (12-ft waterward from edge of pavement) to relocate their facilities for the construction of the Sacramento Weir Widening Project. The temporary poles will be located for a duration of up to 42 months and will be removed after construction. The poles will be auger drilled with spoils becoming property of PG&E. There are 2 proposed overhead crossings of the levee/Old River Road, one at the northern end of the project and another at the southern end. The poles will be owned by both PG&E and AT&T. (PG&E Project 35159551)

LMA Endorsement: Sacramento Maintenance Yard

CEQA Finding: The Board, as lead agency, certified the ARCF GRR Final EIS/EIR (SCH 2005072046) through Board Resolution 2016-04 including a Statement of Findings, Statement of Overriding Considerations, and a Mitigation Monitoring, and Reporting Program (MMRP), and filed a Notice of Determination on June 9, 2016 approving the ARCF Project. Some elements of the Sacramento Weir Widening Project (passive weir design and fish passage structure) were not analyzed in the ARCF GRR Final EIS/EIR, because the project design had not yet been developed to a level to provide the specificity required for project implementation. To address project modifications and refinements since publication of the ARCF GRR EIS/EIR, the USACE and Board prepared a joint Supplemental EIS/EIR

for the Sacramento Weir Widening Project (SCH 2020070575). The Board, as lead agency, certified the Sacramento Weir Widening Supplemental EIS/EIR (SCH 2020070575) through Board Resolution 2021-07 Statement of Findings, Statement of Overriding Considerations, and a Mitigation Monitoring, and Reporting Program (MMRP), and filed a Notice of Determination on August 30, 2021. The proposed temporary placement of telecommunication poles is covered by the Supplemental EIS/EIR, which was prepared pursuant to CEQA Guidelines § 15178 incorporates the ARCF GRR EIS/EIR by reference. The Board's environmental analysis within the Final 2021 Supplemental EIS/EIR concluded that the installation of utilities would have a less-than significant impact on public utilities and service systems after incorporation of the mitigation measures included in the ARCF GRR Final EIS/EIR, and the Sacramento Weir Widening Supplemental EIS/EIR. Board staff finds that Permit No.19662 described herein is consistent with the ARCF GRR Final EIS/ EIR and the Sacramento Weir Widening Supplemental EIS/EIR and would result in no new adverse environmental impacts, and that no new mitigation measures are required pursuant to CEQA Guidelines Section 15162. These documents which constitute the administrative record of the Board in this matter are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

### **Application Number: 11663-1**

Applicant: Pacific Gas and Electric

Location Description: The project site is located approximately 2000 feet North of Messick Road and 1100 feet east of Garden Highway south of Yuba City at Sutter Butte Flood Control Agency Station 689+00. The United States Corps of Engineers Unit is 144 Levee Mile 7.75.

County: Sutter

Stream: Feather River

Project Description: The encroachment consists of two existing 12 kilovolt overhead electrical lines crossing the levee, and a wood utility pole with a guy wire and anchor located near the waterside levee toe in the right bank of the Feather River. The lines have a minimum clearance of 25 feet above the levee crown. The wood utility pole supporting the utility lines located on the landside of the levee is approximately 30 feet from the levee toe. This work is associated with Feather River West Levee Project under Permit 18793-2 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

LMA Endorsement: Levee District 1

CEQA Finding: The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA).The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard

copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

### **Application Number: 15403-1**

Applicant: Pacific Gas and Electric

Location Description: The project site is located approximately 70 feet south of Highway 20 at Sutter Butte Flood Control Agency Station 1025+00. The United States Corps of Engineers Unit is 144. Levee Mile 14.11.

County: Sutter

Stream: Feather River

Project Description: The encroachment consists of two existing 12 kilovolt overhead electrical lines crossing the levee in the right bank of the Feather River. The lines have a minimum clearance of 25 feet above the levee crown. This work is associated with Feather River West Levee Project under Permit 18793-1 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

LMA Endorsement: Levee District 1

CEQA Finding: The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

### **Application Number: 1671-1**

Applicant: Pacific Gas and Electric (PG&E)

Location Description: The project site is located on West Feather River Levee approximately 2300 feet east and 1250 feet south of Metteer Rd. at Sutter Butte Flood Control Agency Station 1653+00. The United States Corps of Engineers Unit is 148 Levee Mile 9.86.

County: Sutter

Stream: Feather River

Project Description: The encroachment consists of two existing 12 kilovolt overhead electrical lines crossing the levee in the right bank of the Feather River. The lines have a minimum clearance of 25

feet above the levee crown. The wood utility poles supporting the lines are located on the landside and waterside of the levee, approximately 40 feet and 20 feet respectively from the levee toes. Two guy wires and anchors are located on the landside utility pole and one guy wire and anchor are located on the waterside utility pole. This work is associated with Feather River West Levee Project under Permit 18793-3 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

### **Application Number: 18271-1**

Applicant: Pacific Gas and Electric (PG&E)

Location Description: The project site is located on West Feather River Levee approximately 750 feet south of Vance Ave and approximately 2,750 feet east of Larkin Rd. at Sutter Butte Flood Control Agency Station 2249+27. The United States Corps of Engineers Unit is 152 Levee Mile 11.50.

County: Butte

Stream: Feather River

Project Description: The encroachment consists of two existing 12 kilovolt overhead electrical lines crossing the levee in the right bank of the Feather River. The lines have a minimum clearance of 25 feet above the levee crown. The wood utility poles supporting the lines are located on the landside and waterside of the levee, approximately 125 feet and 20 feet respectively from the levee toes. A guy wire and anchor are located on the landside utility pole. This work is associated with Feather River West Levee Project under Permit 18793-3 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of



the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

### **Application Number: 19153-1**

Applicant: California Department of Water Resources

Location Description: The project site extends along the Sacramento Bypass and continues north along the east side of the Yolo Bypass terminating just south of I-5.

County: Yolo

Stream: Yolo and Sacramento Bypasses

Project Description: This is a new permit that includes conditions for submittal of a revised set of plans and specifications and incorporation of a supplemental letter of permission from the U.S. Army Corps of Engineers, as well as others that are consistent with current flood control standards and policies of the Central Valley Flood Protection Board. This permit supplements Permit No. 19153 that was issued to the California Department of Water Resources on May 12, 2020 to authorize a project that includes the design, engineering, permitting, real estate acquisition, and construction of 1.5 miles of setback levee for the Sacramento Bypass north levee and 5.5 miles of setback levee for the Yolo Bypass east levee, adjacent to the Lower Elkhorn Basin.

LMA Endorsement: Reclamation Districts 537, 785, and 827

CEQA Finding: Board staff has determined that the proposed action does not have the potential for resulting in either a direct physical change in the environment or a reasonably foreseeable indirect physical change in the environment and thus is not a "project" for purposes of the California Environmental Quality Act (Public Resources Code § 21065; CEQA Guidelines § 15378(a)).

### **Application Number: 19332**

Applicant: Pacific Gas and Electric

Location Description: The project starts approximately 2400 feet south of the intersection of Garden Highway and Second Street and ends approximately 1200 feet south of the intersection of Garden Highway and Second Street between Sutter Butte Flood Control Agency Station 958+95 to Station 971+60. The United States Corps of Engineers Unit is 144, Levee Mile 12.86 to Levee Mile 13.10.

County: Sutter

Stream: Feather River

Project Description: The encroachment consists of two existing 12 kilovolt overhead electrical lines running parallel to levee landside toe with one wood utility pole, guy wire, and anchor located approximately 5 feet from landside levee toe, and four wood utility poles located approximately 30 feet

from the landside levee toe in the right bank of the Feather River. This work is associated with Feather River West Levee Project under Permit 18793-1 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

LMA Endorsement: Levee District 1

CEQA Finding: The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

### **Application Number: 19333**

Applicant: Pacific Gas and Electric

Location Description: The project site is located approximately 1200 feet south of the intersection of Garden Highway and Second Street at Sutter Butte Flood Control Agency Station 971+70. The United States Corps of Engineers Unit is 144. Levee Mile 13.10.

County: Sutter

Stream: Feather River

Project Description: The encroachment consists of two existing 12 kilovolt overhead electrical lines crossing the levee. The lines have a minimum clearance of 25 feet above the levee crown. Wood utility poles supporting the lines are located on the landside and waterside of the levee, approximately 40 feet and 60 feet respectively from the levee toes. Two guy wires and anchors are attached to the landside pole. A guy wire and anchor is attached to the waterside pole. This work is associated with Feather River West Levee Project under Permit 18793-1 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

LMA Endorsement: Levee District 1

CEQA Finding: The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its

authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

### **Application Number: 19334**

Applicant: Pacific Gas and Electric

Location Description: The project site is located on West Feather River Levee approximately 1300 feet east of Live Oak Blvd. and approximately 1200 feet north of Northgate Dr. Sutter Butte Flood Control Agency Station 1108+00. The United States Corps of Engineers Unit is 144. Levee Mile 15.68.

County: Sutter

Stream: Feather River

Project Description: The encroachment consists of two existing 12 kilovolt overhead electrical lines crossing the levee in the right bank of the Feather River. The lines have a minimum clearance of 25 feet above the levee crown. Wood utility poles supporting the lines are located on the landside and waterside of the levee, approximately 30 feet and 18 feet respectively from the levee toes. This work is associated with Feather River West Levee Project under Permit 18793-1 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

LMA Endorsement: Levee District 1

CEQA Finding: The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

### **Application Number: 19335**

Applicant: Pacific Gas and Electric



Location Description: The project site is located on West Feather River Levee approximately 400 feet east of Live Oak Blvd. and approximately 80 feet north of Pease Rd. at Sutter Butte Flood Control Agency Station 1139+25. The United States Corps of Engineers Unit is 148 Levee Mile 0.13.

County: Sutter

Stream: Feather River

Project Description: The encroachment consists of two existing 12 kilovolt and 60 kilovolt overhead electrical lines crossing the levee in the right bank of the Feather River. The lines have a minimum clearance of 25 feet above the levee crown. The wood utility poles supporting the lines are located on the landside and waterside of the levee, approximately 30 feet and 38 feet respectively from the levee toes. A guy wire and anchor is attached to the landside pole. This work is associated with Feather River West Levee Project under Permit 18793-1 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

LMA Endorsement: Levee District 9

CEQA Finding: The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

## **Application Number: 19336**

Applicant: Pacific Gas and Electric

Location Description: The project site is located on West Feather River Levee approximately 2650 feet east of Live Oak Blvd. and approximately 1450 feet north of Eager Rd. at Sutter Butte Flood Control Agency Station 1223+90. The United States Corps of Engineers Unit is 148 Levee Mile 1.73.

County: Sutter

Stream: Feather River

Project Description: The encroachment consists of two existing 12 kilovolt overhead electrical lines crossing the levee in the right bank of the Feather River. The lines have a minimum clearance of 25 feet above the levee crown. Wood utility poles supporting the lines are located on the landside and waterside of the levee, approximately 40 feet and 25 feet respectively from the levee toes. Two guys and anchors are attached to each landside and waterside pole. This work is associated with Feather River West Levee Project under Permit 18793-1 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

#### LMA Endorsement: Levee District 9

CEQA Finding: The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

#### Application Number: 19337

Applicant: Pacific Gas and Electric

Location Description: The project site is located on West Feather River Levee approximately 1800 feet east of Live Oak Blvd. and approximately 2650 feet south of Morse Rd. at Sutter Butte Flood Control Agency Station 1266+80. The United States Corps of Engineers Unit is 148 Levee Mile 2.54.

County: Sutter

Stream: Feather River

Project Description: The encroachment consists of two existing 12 kilovolt overhead electrical lines crossing the levee in the right bank of the Feather River. The overhead electrical lines have a minimum clearance of 25 feet above the levee crown. Wood utility poles supporting the lines are located on the landside and waterside of the levee, approximately 30 feet and 20 feet respectively from the levee toes. Two guys and anchors are attached to the waterside poles. This work is associated with Feather River West Levee Project under Permit 18793-1 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

#### LMA Endorsement: Levee District 9

CEQA Finding: The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project

EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

### **Application Number: 19338**

Applicant: Pacific Gas and Electric

Location Description: The project site is located on West Feather River Levee approximately 760 feet east of Kent Ave. and approximately 1000 feet south of Paseo Rd. at Sutter Butte Flood Control Agency Station 1429+70. The United States Corps of Engineers Unit is 148. Levee Mile 5.63.

County: Sutter

Stream: Feather River

Project Description: The encroachment consists of two existing 12 kilovolt overhead electrical lines crossing the levee and a wood utility pole supporting the lines with a guy wire and anchor attached located at the waterside levee toe in the right bank of the Feather River. The lines have a minimum clearance of 25 feet above the levee crown. This work is associated with Feather River West Levee Project under Permit 18793-1 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

LMA Endorsement: Levee District 9

CEQA Finding: The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

### **Application Number: 19339**

Applicant: Pacific Gas and Electric

Location Description: The project site is located on West Feather River Levee approximately 760 feet east of Kent Ave. and approximately 960 feet south of Paseo Rd. at Sutter Butte Flood Control Agency Station 1430+00. The United States Corps of Engineers Unit is 148 Levee Mile 5.63.

County: Sutter

Stream: Feather River

Project Description: The encroachment consists of two existing 60 kilovolt overhead electrical lines crossing the levee, and two wood utility poles supporting the lines and ground mounted transformers located at the waterside levee toe in the right bank of the Feather River. The overhead electrical lines have a minimum clearance of 25 feet above the levee crown. This work is associated with Feather River West Levee Project under Permit 18793-1 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

LMA Endorsement: Levee District 9

CEQA Finding: The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

## **Application Number: 19341**

Applicant: Pacific Gas and Electric (PG&E)

Location Description: The project site is located approximately 1750 feet east of the north end of Kent Ave. and at the east end of Archer Ave. at Sutter Butte Flood Control Agency Station 1520+40. The United States Corps of Engineers Unit is 148 Levee Mile 7.34.

County: Sutter

Stream: Feather River

Project Description: The encroachment consists of two existing 12 kilovolt overhead electrical lines crossing the levee in the right bank of the Feather River. The lines have a minimum clearance of 25 feet above the levee crown. The wood utility poles supporting the lines are located on the landside and waterside of the levee, approximately 40 feet and 45 feet respectively from the levee toes. This work is associated with Feather River West Levee Project under Permit 18793-1 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

LMA Endorsement: Sutter Maintenance Yard

CEQA Finding: The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

### **Application Number: 19342**

Applicant: Pacific Gas and Electric (PG&E)

Location Description: The project site is located on West Feather River Levee approximately 3500 feet east of Sheldon Ave. and approximately 20 feet north of Pennington Rd. at Sutter Butte Flood Control Agency Station 1536+00. The United States Corps of Engineers Unit is 148 Levee Mile 7.64.

County: Sutter

Stream: Feather River

Project Description: The encroachment consists of two existing 12 kilovolt overhead electrical lines crossing the levee in the right bank of the Feather River. The lines have a minimum clearance of 25 feet above the levee crown. The wood utility poles supporting the lines are located on the landside and waterside of the levee, approximately 30 feet and 140 feet respectively from the levee toes. One guy wire and anchor are located on the landside utility pole. This work is associated with Feather River West Levee Project under Permit 18793-1 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

LMA Endorsement: Sutter Maintenance Yard

CEQA Finding: The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new



environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

### **Application Number: 19343**

Applicant: Pacific Gas and Electric (PG&E)

Location Description: The project site is located on West Feather River Levee at the east end of the northern section of Campbell Rd. at Sutter Butte Flood Control Agency Station 1611+40. The United States Corps of Engineers Unit is 148 Levee Mile 9.07.

County: Sutter

Stream: Feather River

Project Description: The encroachment consists of two existing 12 kilovolt overhead electrical lines crossing the levee in the right bank of the Feather River. The lines have a minimum clearance of 25 feet above the levee crown. The wood utility poles supporting the lines are located on the landside and waterside of the levee, approximately 130 feet and 18 feet respectively from the levee toes. This work is associated with Feather River West Levee Project under Permit 18793-1 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

LMA Endorsement: Sutter Maintenance Yard

CEQA Finding: The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

### **Application Number: 19344**

Applicant: Pacific Gas and Electric (PG&E)

Location Description: The project site is located on West Feather River Levee approximately 600 feet north of E. Gridley Rd. and approximately 3500 feet east of Larkin Rd. at Sutter Butte Flood Control Agency Station 1906+58. The United States Corps of Engineers Unit is 152 Levee Mile 4.38.

County: Sutter

Stream: Feather River

**Project Description:** The encroachment consists of two existing 12 kilovolt overhead electrical lines crossing the levee in the right bank of the Feather River. The lines have a minimum clearance of 25 feet above the levee crown. The wood utility poles supporting the lines are located on the landside and waterside of the levee, approximately 130 feet and 18 feet respectively from the levee toes. This work is associated with Feather River West Levee Project under Permit 18793-1 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

**LMA Endorsement:** Maintenance Area 7

**CEQA Finding:** The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

## **Application Number: 19345**

**Applicant:** Pacific Gas and Electric (PG&E)

**Location Description:** The project site is located on West Feather River Levee on Almond Ave. approximately 4,000 feet east of Larkin Rd. at Sutter Butte Flood Control Agency Station 2092+37. The United States Corps of Engineers Unit is 152 Levee Mile 7.90.

**County:** Sutter

**Stream:** Feather River

**Project Description:** The encroachment consists of two existing 12 kilovolt overhead electrical lines crossing the levee in the right bank of the Feather River. The lines have a minimum clearance of 25 feet above the levee crown. The wood utility poles supporting the lines are located on the landside and waterside of the levee, approximately 35 feet and 155 feet respectively from the levee toes. This work is associated with Feather River West Levee Project under Permit 18793-3 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

**LMA Endorsement:** Maintenance Area 7

**CEQA Finding:** The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of

the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

### **Application Number: 19346**

Applicant: Pacific Gas and Electric (PG&E)

Location Description: The project site is located on West Feather River Levee at the east end of Cherry Ave. approximately 2,500 feet east of Larkin Rd. at Sutter Butte Flood Control Agency Station 2178+50 and 2185+50. The United States Corps of Engineers Unit is 152 Levee Miles 9.52 and 9.66.

County: Sutter

Stream: Feather River

Project Description: The encroachment consists of two existing 12 kilovolt overhead electrical lines crossing the levee at the right bank of the Feather River. The lines have a minimum clearance of 25 feet above the levee crown. The waterside utility pole with a guy wire and anchor at station 2178+20 is approximately 25 feet from the waterside levee toe. The landside wooden utility pole with a guy wire and anchor at station 2182+10 is approximately 20 feet from the landside levee toe. The landside wooden utility pole with a guy wire and anchor at station 2185+75 is approximately 85 feet from the landside levee toe. This work is associated with Feather River West Levee Project under Permit 18793-3 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard

copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.ent: Maintenance Area 7

CEQA Finding:

### **Application Number: 19347**

Applicant: Pacific Gas and Electric (PG&E)

Location Description: The project site is located on West Feather River Levee approximately 300 feet north of Larkin Rd. and approximately 3,600 feet east of Dos Rios Rd. at Sutter Butte Flood Control Agency Station 2249+27. The United States Corps of Engineers Unit is 152 Levee Mile 10.86.

County: Sutter

Stream: Feather River

Project Description: The encroachment consists of two existing 12 kilovolt overhead electrical lines crossing the levee in the right bank of the Feather River. The lines have a minimum clearance of 25 feet above the levee crown. The wood utility poles supporting the lines are located on the landside and waterside of the levee, approximately 30 feet and 45 feet respectively from the levee toes. A guy wire and anchor are located on the waterside utility pole. This work is associated with Feather River West Levee Project under Permit 18793-3 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

### **Application Number: 19348**

Applicant: Pacific Gas and Electric (PG&E)

Location Description: The project site is located on West Feather River Levee approximately 230 feet southeast of Larkin Rd. and approximately 330 feet southeast of Thermalito Afterbay at Sutter Butte Flood Control Agency Station 2369+40. The United States Corps of Engineers Unit is 152 Levee Mile 13.14.

County: Butte/Sutter

Stream: Feather River

**Project Description:** The encroachment consists of two existing 12 kilovolt overhead electrical lines crossing the levee in the right bank of the Feather River. The lines have a minimum clearance of 25 feet above the levee crown. The wood utility poles supporting the lines are located approximately 30 feet from the landside levee toe and approximately 120 feet east of the Thermalto Afterbay spillway. A guy wire and anchor are located on the landside utility pole and the utility pole east of the spillway. This work is associated with Feather River West Levee Project under Permit 18793-3 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

**LMA Endorsement:** Maintenance Area 7

**CEQA Finding:** The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

## **Application Number: 19667**

**Applicant:** Lockett 98 Family Revocable Trust et al

**Location Description:**

**County:** Sutter

**Stream:** Sacramento River

**Project Description:** To authorize an existing 30-inch steel irrigation pipe through the levee, two (2) cut-off walls, slide gate with 42-inch riser on waterside berm, slant pump on platform, waterside walkway and pump platform, 1.5-inch electrical conduit at levee mile 6.48 (historic 6.53); and a waterside ramp at levee mile 6.50 (historic 6.55). These facilities were previously authorized under Automatic Board Order 10074 and also referenced in USACE O&M, Unit 128, March 1960, Revised December 29, 2016, (levee mile 6.53). USACE As-built Drawing No. 50-04-3263, sheets 13.1, 15, 42.3 and 46, station 59+97 (site "F"), January 24, 1958.

**LMA Endorsement:** Reclamation District 537

**CEQA Finding:** Board staff has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA guidelines § 15301), because the activity consists of permitting existing facilities. These facilities were previously authorized under Automatic Board Order



(ABO) 10074 and also referenced in USACE O&M, Unit 128, March 1960, Revised December 29, 2016, (levee mile 6.53). USACE As-built Drawing No. 50-04-3263, sheets 13.1, 15, 42.3 and 46, station 59+97 (site "F"), January 24, 1958. No expansion of existing or former use will occur. This is an administrative change to ABO 10074 to reflect current and existing facilities subject to the property owner. Further, none of the exceptions to the exemption in CEQA Guidelines § 15300.2 apply.

### **Application Number: 19672**

Applicant: Pacific Gas and Electric

Location Description: The project is located approximately 2.6 miles northwest of Biola, a census-designated place in unincorporated Fresno County and Madera County, California, at approximately 36.821733°N, 120.058695°W.

County: Fresno/Madera

Stream: San Joaquin River

Project Description: To authorize an existing electric utility pole line that crosses the San Joaquin River Designated Floodway. The electric pole line includes eight poles, overhead conductor, span-guy, and anchors. The pole line and its appurtenant structures existed before the adoption of the plan of flood control, as evidenced by the rights of way from Madera and Fresno County dated September 17, 1927 and October 8, 1928, respectively.

LMA Endorsement: N/A

CEQA Finding: Board staff has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA Guidelines § 15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA Guidelines § 15300.2 apply.

### **Application Number: 4378-1**

Applicant: Pacific Gas and Electric Company

Location Description: The project site is located approximately 2,000 feet south of Messick Road and 1400 feet east of Garden Highway south of Yuba City at Sutter Butte Flood Control Agency Station 649+11. The United States Corps of Engineers Unit is 144 Levee Mile 6.99.

County: Sutter

Stream: Feather River

Project Description: The encroachment consists of two existing 12 kilovolt overhead electrical lines crossing the levee in the right bank of the Feather River. The lines have a minimum clearance of 25 feet above the levee crown. The wood utility poles supporting the lines are located on the landside and waterside of the levee, approximately 30 feet and 60 feet respectively from the levee toes. Two guys and anchors are attached to the waterside pole. This work is associated with Feather River West Levee Project under Permit 18793-2 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

LMA Endorsement: Levee District 1

CEQA Finding: The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code §

21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

### **Application Number: 5563-1**

Applicant: Natomas Mutual Water Company

Location Description: The project is located on the waterside of the left (east) bank levee of the Sacramento River, approximately 185 feet north of the intersection of Garden Highway and Radio Road.

County: Sacramento

Stream: Sacramento River

Project Description: To relocate the Natomas Mutual Water Company, Riverside Pumping Plant. The proposed work under this permit includes a new 24 square feet pump platform and walkway that sits on ten (10) 24-inch diameter steel piles. The platform will support a mixed flow irrigation pump and approximately 69.5-inch diameter pump can, cylindrical fish screen and sluice gate, 30-inch diameter welded steel pipe, 2-inch diameter vacuum pipe, 2-inch diameter utility water line, electrical panels, and appurtenances. Additional improvements include constriction of 16 feet wide access driveway with double swing gates and 18-inch diameter corrugated metal culvert; construction of gravel surfaced parking lot and guard posts; installation of log boom and riprap along the bank for debris and erosion protection, respectively. Finally, the existing Riverside Pumping Plant facilities will be demolished except the pump house and concrete walkway.

LMA Endorsement: Reclamation District 1000

CEQA Finding: The Board, as a responsible agency under CEQA, has reviewed the Natomas Levee Improvement Program Phase 4a Landslide Improvements Project Environmental Impact Report (Phase 4a EIR) (State Clearinghouse No. 2009032097, November 2009), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sacramento Area Flood Control Agency (SAFCA). The Board, as a responsible agency, is responsible for mitigating or voiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving an encroachment permit, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board previously approved construction of the NLIP Landslide Improvements Project on September 23, 2010 and made appropriate CEQA findings. The Board finds that the proposed replacement of the Riverside Pumping Plant and installation of the fish screen equipment is within the scope of the previously adopted Program EIR and therefore constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA

Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard copy at the Board and SAFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

### **Application Number: 9053-1**

Applicant: Pacific Gas & Electric Company (PG&E)

Location Description: The project site is located on West Feather River Levee approximately 200 feet south of Old Ranch Rd. and 2650 feet east of Larkin Rd. at Sutter Butte Flood Control Agency Station 1957+40. The United States Corps of Engineers Unit is 152 Levee Mile 5.34.

County: Butte

Stream: Feather River

Project Description: The encroachment consists of two existing 12 kilovolt overhead electrical lines crossing the levee in the right bank of the Feather River. The lines have a minimum clearance of 25 feet above the levee crown. The wood utility poles supporting the lines are located on the landside and waterside of the levee, approximately 165 feet and 25 feet respectively from the levee toes. Two guy wires and anchors are located on the waterside utility pole. This work is associated with Feather River West Levee Project under Permit 18793-3 and was previously constructed in compliance with California Code of Regulations, Title 23, Division 1.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board, as a responsible agency under CEQA, has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, the Sutter Butte Flood Control Agency (SBFCA). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA Guidelines § 15096(g); Public Resources Code § 21002.1(d)). Here, the Board's action is limited to approving encroachment permits, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system. The Board approved the construction of the Feather River West Levee Project, including the relocation of the PG&E overhead utilities on July 24, 2013, and made appropriate CEQA findings. The Board finds that authorization of the existing poles and overhead lines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur and no new mitigation measures are required pursuant to CEQA Guidelines section 15162. Therefore, no new environmental document is required pursuant to CEQA Guidelines section 15168. These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.