

Central Valley Flood Protection Board

Executive Officer Delegation Report

Posting Date: August 10th, 2023

Number of Applications Scheduled: 39

Application Number: 14047-1

Applicant: Wurster Ranches LP

Location Description: The project is located approximately 1.54 miles southwest of the City of Hood, and 0.23 miles northeast from the intersection of River Road and Randall Island Road, in Sacramento County

County: Sacramento

Stream: Sacramento River

Project Description: To authorize an existing 8-inch diameter steel irrigation pipe sleeved, grouted, and sealed through an existing 10-inch diameter steel irrigation pipe; an existing 8-inch pipe within the landside slope, an 8-inch pipe on the waterside slope, and a positive closure device on the waterside shoulder. The existing facility was previously authorized under Permit No. 14047, citing an 8-inch (10-inch installed) with USACE concurrence citing a 10-inch.

LMA Endorsement: Maintenance Area 9

California Environmental Quality Act (CEQA) Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 16358-1

Applicant: Jeffrey & Jennifer Hunt

Location Description: The project is located in the City of Sacramento at 925 Piedmont Drive. Section 22, T8N, R4E, M.D.B.&M., Maintenance Area 9, Levee Mile 1.01, Sacramento River, Sacramento County

County: Sacramento

Stream: Sacramento River

Project Description: This is a "name change" permit only, authorizing a gated wrought iron fence on a 2-foot-high retaining wall at the landward levee toe, two ornamental trees landward of the fence and within 10 feet of the levee toe, concrete and wooden steps on both slopes, a wood deck on the waterside berm, and sprinklers and ground cover on the landward slope of the left bank levee of the Sacramento River. This permit, including its conditions, supersedes Permit No. 16358 that was

issued to Gary and Charlene Singley on May 13, 1995, for work on the left bank levee of the Sacramento River.

LMA Endorsement: Maintenance Area 9

CEQA Finding: The Board has determined that an application to change the name of the permittee does not have the potential to result in either a direct physical change in the environment or a reasonably foreseeable indirect physical change in the environment, and thus, is not a “project” for purposes of CEQA (CEQA Public Resources Code Section 21065; CEQA California Code of Regulations, Title 14, Section 15378(a)).

Application Number: 17213-1

Applicant: Sandra Anne Waller Living Trust

Location Description: Located on West Feather River Levee just east of East Evans Reimer Road.

County: Butte

Stream: Feather River

Project Description: To remove and replace an existing 8-inch diameter pressurized irrigation steel pipe crossing and air vent authorized under Permit 17213. To authorize an 8-inch gate valve and utility box on waterside levee hinge and an 8-inch gate valve and utility box on the landside levee toe.

LMA Endorsement: Maintenance Area 7

CEQA Finding: As a responsible agency under CEQA, Board staff has reviewed the Feather River West Levee Project Environmental Impact Statement/Environmental Impact Report (EIS/EIR) (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, Sutter Butte Flood Control Agency (SBFCA).

The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA California Code of Regulations, Title 14, Section 15096(g); CEQA Public Resources Code Section 21002.1(d)). Here, the Board’s action is limited to approving an encroachment permit, and the Board’s jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State’s flood control system.

The Board approved the construction of the Feather River West Levee Project, on February 28, 2014, and made appropriate CEQA findings for significant and unavoidable impacts for the Feather River West Levee Project, Contract D as further described in its previously adopted Resolution 2014-01. Subsequently, the Board filed a Notice of Determination with the State Clearinghouse on March 6, 2014. The Board finds that authorization of the pipelines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur, and no new mitigation measures are required pursuant to CEQA California Code of Regulations, Title 14, Section 15162. Therefore, no new environmental document is required pursuant to CEQA California Code of Regulations, Title 14, Section 15168.

These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821

Application Number: 17985-1

Applicant: Frank Mario Carson Jr.

Location Description: The project is located approximately 0.4 miles south of the intersection of Garden Highway and Elkhorn Boulevard at 6057 Garden Highway, Sacramento

County: Sacramento

Stream: Sacramento River

Project Description: To perform landscaping improvements that include planting Japanese Maple Trees, Citrus Trees and various shrubs and installing a drip irrigation system on the waterside of the left (east) bank levee of the Sacramento River. The proposed work also includes installing a 40-foot tall flagpole at the rear of 6057 Garden Highway. This is also a "name change" permit which includes conditions that are consistent with current flood control standards and policies of the Central Valley Flood Protection Board. This permit supplements and where in conflict supersedes the conditions in Permit No. 17985 that was issued to Demetrius Barmettler on February 22, 2006 to authorize existing landscaping.

LMA Endorsement: Reclamation District 1000

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 4, Minor Alterations to Land categorical exemption (CEQA California Code of Regulations, Title 14, Section 15304), because the activity consists of minor private alteration in landscaping which does not involve removal of healthy, mature, scenic trees. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

The Board has determined that an application to change the name of the permittee does not have the potential to result in either a direct physical change in the environment or a reasonably foreseeable indirect physical change in the environment, and thus, is not a "project" for purposes of CEQA (CEQA Public Resources Code Section 21065; CEQA California Code of Regulations, Title 14, Section 15378(a)).

Application Number: 19275

Applicant: Sandra Anne Waller Living Trust

Location Description: Located on West Feather River Levee just east of East Evans Reimer Road.

County: Butte

Stream: Feather River

Project Description: To authorize an existing 36-inch diameter welded steel gravity irrigation pipe crossing, gate riser structure with 36x36-inch sluice gate on the waterside levee hinge, and connection manhole off landside toe.

LMA Endorsement: Maintenance Area 7

CEQA Finding: As a responsible agency under CEQA, Board staff has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, SBFCA.

The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA California Code of Regulations, Title 14, Section 15096(g); CEQA Public Resources Code Section 21002.1(d)). Here, the Board's action is limited to approving an encroachment permit, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system.

The Board approved the construction of the Feather River West Levee Project, on February 28, 2014, and made appropriate CEQA findings for significant and unavoidable impacts for the Feather River West Levee Project, Contract D as further described in its previously adopted Resolution 2014-01. Subsequently, the Board filed a Notice of Determination with the State Clearinghouse on March 6, 2014. The Board finds that authorization of the pipelines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur, and no new mitigation measures are required pursuant to CEQA California Code of Regulations, Title 14, Section 15162. Therefore, no new environmental document is required pursuant to CEQA California Code of Regulations, Title 14, Section 15168.

These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

Application Number: 19276

Applicant: Peekema Ranch LP

Location Description: Located on West Feather River Levee just east of East Evans Reimer Road.

County: Butte

Stream: Feather River

Project Description: To authorize an existing 24-inch diameter welded steel gravity storm drain pipe crossing, gate riser structure with a 36x36-inch sluice gate on the waterside hinge, inlet structure on landside toe, and outlet structure, flap gate, and riprap at waterside toe.

LMA Endorsement: Maintenance Area 7

CEQA Finding: As a responsible agency under CEQA, Board staff has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation

Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, SBFCA.

The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA California Code of Regulations, Title 14, Section 15096(g); CEQA Public Resources Code Section 21002.1(d)). Here, the Board's action is limited to approving an encroachment permit, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system.

The Board approved the construction of the Feather River West Levee Project, on February 28, 2014, and made appropriate CEQA findings for significant and unavoidable impacts for the Feather River West Levee Project, Contract D as further described in its previously adopted Resolution 2014-01. Subsequently, the Board filed a Notice of Determination with the State Clearinghouse on March 6, 2014. The Board finds that authorization of the pipelines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur, and no new mitigation measures are required pursuant to CEQA California Code of Regulations, Title 14, Section 15162. Therefore, no new environmental document is required pursuant to CEQA California Code of Regulations, Title 14, Section 15168.

These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

Application Number: 19277

Applicant: City of Gridley

Location Description: Located on West Feather River Levee adjacent to City of Gridley Sewer Ponds.

County: Butte

Stream: Feather River

Project Description: To authorize an existing 36-inch diameter welded steel gravity storm drain pipe crossing, gate riser with 36x36-inch sluice gate at the waterside hinge, and connection manholes off landside and waterside toes.

LMA Endorsement: Maintenance Area 7

CEQA Finding: As a responsible agency under CEQA, Board staff has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, SBFCA.

The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA California Code of Regulations, Title 14, Section 15096(g); CEQA Public Resources Code Section 21002.1(d)). Here, the Board's action is limited to approving an encroachment permit, and the

Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system.

The Board approved the construction of the Feather River West Levee Project, on February 28, 2014, and made appropriate CEQA findings for significant and unavoidable impacts for the Feather River West Levee Project, Contract D as further described in its previously adopted Resolution 2014-01. Subsequently, the Board filed a Notice of Determination with the State Clearinghouse on March 6, 2014. The Board finds that authorization of the pipelines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur, and no new mitigation measures are required pursuant to CEQA California Code of Regulations, Title 14, Section 15162. Therefore, no new environmental document is required pursuant to CEQA California Code of Regulations, Title 14, Section 15168.

These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

Application Number: 19278

Applicant: Farmland Reserve Incorporated

Location Description: Located on West Feather River Levee adjacent to City of Gridley Sewer Ponds.

County: Butte

Stream: Feather River

Project Description: To authorize an existing 36-inch diameter welded steel gravity irrigation pipe crossing, a gate riser with a 36x36-inch sluice gate at the waterside hinge, and plugged and capped pipe on both waterside and landside ends.

LMA Endorsement: Maintenance Area 7

CEQA Finding: As a responsible agency under CEQA, Board staff has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, SBFCA.

The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA California Code of Regulations, Title 14, Section 15096(g); CEQA Public Resources Code Section 21002.1(d)). Here, the Board's action is limited to approving an encroachment permit, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system.

The Board approved the construction of the Feather River West Levee Project, on February 28, 2014, and made appropriate CEQA findings for significant and unavoidable impacts for the Feather River West Levee Project, Contract D as further described in its previously adopted Resolution 2014-01. Subsequently, the Board filed a Notice of Determination with the State Clearinghouse on March 6, 2014. The Board finds that authorization of the pipelines is within the scope of the previously

adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur, and no new mitigation measures are required pursuant to CEQA California Code of Regulations, Title 14, Section 15162. Therefore, no new environmental document is required pursuant to CEQA California Code of Regulations, Title 14, Section 15168.

These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

Application Number: 19279

Applicant: Cilker 04 Gridley LP

Location Description: Located on West Feather River Levee about 1.10 mile north of East Gridley Road.

County: Butte

Stream: Feather River

Project Description: To authorize an existing 36-inch diameter welded steel gravity storm drain pipe crossing, a gate riser with a 36x36-inch sluice gate at the waterside hinge, an inlet structure with headwall on landside toe, and plugged and capped pipe on waterside end.

LMA Endorsement: Maintenance Area 7

CEQA Finding: As a responsible agency under CEQA, Board staff has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, SBFCA.

The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA California Code of Regulations, Title 14, Section 15096(g); CEQA Public Resources Code Section 21002.1(d)). Here, the Board's action is limited to approving an encroachment permit, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system.

The Board approved the construction of the Feather River West Levee Project, on February 28, 2014, and made appropriate CEQA findings for significant and unavoidable impacts for the Feather River West Levee Project, Contract D as further described in its previously adopted Resolution 2014-01. Subsequently, the Board filed a Notice of Determination with the State Clearinghouse on March 6, 2014. The Board finds that authorization of the pipelines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur, and no new mitigation measures are required pursuant to CEQA California Code of Regulations, Title 14, Section 15162. Therefore, no new environmental document is required pursuant to CEQA California Code of Regulations, Title 14, Section 15168.

These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

Application Number: 19281

Applicant: Deane and Edith Williams Testamentary Trust Estate

Location Description: Located on West Feather River Levee just north of Larkin Road.

County: Butte

Stream: Feather River

Project Description: To authorize an existing 36-inch diameter welded steel gravity storm drain pipe crossing, a gate riser with a 36x36-inch sluice gate at the waterside hinge, a 36-inch flap gate, outlet structure, and rip rap at the waterside toe, and an inlet structure with headwall on landside toe.

LMA Endorsement: Maintenance Area 7

CEQA Finding: As a responsible agency under CEQA, Board staff has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, SBFCA.

The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA California Code of Regulations, Title 14, Section 15096(g); CEQA Public Resources Code Section 21002.1(d)). Here, the Board's action is limited to approving an encroachment permit, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system.

The Board approved the construction of the Feather River West Levee Project, on February 28, 2014, and made appropriate CEQA findings for significant and unavoidable impacts for the Feather River West Levee Project, Contract D as further described in its previously adopted Resolution 2014-01. Subsequently, the Board filed a Notice of Determination with the State Clearinghouse on March 6, 2014. The Board finds that authorization of the pipelines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur, and no new mitigation measures are required pursuant to CEQA California Code of Regulations, Title 14, Section 15162. Therefore, no new environmental document is required pursuant to CEQA California Code of Regulations, Title 14, Section 15168.

These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

Application Number: 19282

Applicant: Deane and Edith Williams Testamentary Trust Estate

Location Description: Located on West Feather River Levee just north of Larkin Road.

County: Butte

Stream: Feather River

Project Description: To authorize an existing 36-inch diameter welded steel gravity storm drain pipe crossing, a gate riser structure with a 36x36-inch sluice gate at the waterside hinge, a 36-inch flap gate, outlet structure, and rip rap at the waterside toe, and inlet structure on landside toe.

LMA Endorsement: Maintenance Area 7

CEQA Finding: As a responsible agency under CEQA, Board staff has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, SBFCA.

The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA California Code of Regulations, Title 14, Section 15096(g); CEQA Public Resources Code Section 21002.1(d)). Here, the Board's action is limited to approving an encroachment permit, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system.

The Board approved the construction of the Feather River West Levee Project, on February 28, 2014, and made appropriate CEQA findings for significant and unavoidable impacts for the Feather River West Levee Project, Contract D as further described in its previously adopted Resolution 2014-01. Subsequently, the Board filed a Notice of Determination with the State Clearinghouse on March 6, 2014. The Board finds that authorization of the pipelines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur, and no new mitigation measures are required pursuant to CEQA California Code of Regulations, Title 14, Section 15162. Therefore, no new environmental document is required pursuant to CEQA California Code of Regulations, Title 14, Section 15168.

These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

Application Number: 19283

Applicant: Jeff and Darlene Fredericks Trust

Location Description: Located on West Feather River Levee just south of Vance Road.

County: Butte

Stream: Feather River

Project Description: To authorize an existing 36-inch diameter welded steel gravity storm drain pipe crossing, a gate riser structure with a 36x36-inch sluice gate at the waterside hinge, a 36-inch flap gate, outlet structure, and rip rap at the waterside toe, and an inlet structure on the landside toe.

LMA Endorsement: Maintenance Area 7

CEQA Finding: As a responsible agency under CEQA, Board staff has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, SBFCA.

The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA California Code of Regulations, Title 14, Section 15096(g); CEQA Public Resources Code Section 21002.1(d)). Here, the Board's action is limited to approving an encroachment permit, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system.

The Board approved the construction of the Feather River West Levee Project, on February 28, 2014, and made appropriate CEQA findings for significant and unavoidable impacts for the Feather River West Levee Project, Contract D as further described in its previously adopted Resolution 2014-01. Subsequently, the Board filed a Notice of Determination with the State Clearinghouse on March 6, 2014. The Board finds that authorization of the pipelines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur, and no new mitigation measures are required pursuant to CEQA California Code of Regulations, Title 14, Section 15162. Therefore, no new environmental document is required pursuant to CEQA California Code of Regulations, Title 14, Section 15168.

These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

Application Number: 19284

Applicant: MMD Ranches

Location Description: The project is located on the West Feather River Levee just east of Metteer Rd near the intersection with Riviera Rd.

County: Sutter

Stream: Feather River

Project Description: To authorize a waterside access ramp for access to MMD Ranches parcels. The access ramp will have a structural section consisting of eight inches Class 2 aggregate base over 12 inches of subgrade compacted to 100 percent relative compaction in accordance with ASTM D698. The width of the ramp shall be a minimum of 15 feet and the maximum slope of the ramp shall be 10 percent.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19285

Applicant: MMD Ranches LP

Location Description: The project is located on the West Feather River Levee just east to the intersection of Riviera Rd and Mettee Rd.

County: Sutter

Stream: Feather River

Project Description: To authorize a landside and waterside access ramp for access to MMD Ranches LP. The access ramp will have a structural section consisting of eight inches Class 2 aggregate base over 12 inches of subgrade compacted to 100 percent relative compaction in accordance with ASTM D698. The width of the ramp shall be a minimum of 15 feet and the maximum slope of the ramp shall be 10 percent.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19286

Applicant: MMD Ranches LP

Location Description: The project is located on the West Feather River Levee just east of the Sutter Butte Canal and south of Mettee Rd.

County: Sutter

Stream: Feather River

Project Description: To authorize a landside and waterside access ramp for access to MMD Ranches LP. The access ramp will have a structural section consisting of eight inches Class 2 aggregate base over 12 inches of subgrade compacted to 100 percent relative compaction in accordance with ASTM D698. The width of the ramp shall be a minimum of 15 feet and the maximum slope of the ramp shall be 10 percent.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section

15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19287

Applicant: Melbay Farms

Location Description: The project is located on the West Feather River Levee just east of the Sutter Butte Canal and south of Metteer Rd.

County: Sutter

Stream: Feather River

Project Description: To authorize a waterside access ramp for access to Melbay Farms located on waterside of levee. The access ramp will have a structural section consisting of eight inches Class 2 aggregate base over 12 inches of subgrade compacted to 100 percent relative compaction in accordance with ASTM D698. The width of the ramp shall be a minimum of 15 feet and the maximum slope of the ramp shall be 10 percent.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19288

Applicant: Sandra Anne Waller Living Trust

Location Description: The project is located on the West Feather River Levee just east of Alexander Ave near the intersection with East Evans Reimer Road.

County: Butte

Stream: Feather River

Project Description: To authorize a landside and waterside access ramp for access to Sandra Anne Waller Living Trust parcels. The access ramp will have a structural section consisting of eight inches Class 2 aggregate base over 12 inches of subgrade compacted to 100 percent relative compaction in accordance with ASTM D698. The width of the ramp shall be a minimum of 15 feet and the maximum slope of the ramp shall be 10 percent.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting existing private facilities. No expansion of existing

or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19289

Applicant: Waller Family

Location Description: The project is located on the West Feather River Levee just east of Alexander Ave and the intersection with East Evans Reimer Road.

County: Butte

Stream: Feather River

Project Description: To authorize a waterside access ramp for access to Sandra Anne Waller Living Trust parcels. The access ramp will have a structural section consisting of eight inches Class 2 aggregate base over 12 inches of subgrade compacted to 100 percent relative compaction in accordance with ASTM D698. The width of the ramp shall be a minimum of 15 feet and the maximum slope of the ramp shall be 10 percent.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19290

Applicant: Waller Family

Location Description: The project is located on the West Feather River Levee just east of Alexander Ave.

County: Butte

Stream: Feather River

Project Description: To authorize a waterside access ramp for access to Sandra Anne Waller Living Trust parcels. The access ramp will have a structural section consisting of eight inches Class 2 aggregate base over 12 inches of subgrade compacted to 100 percent relative compaction in accordance with ASTM D698. The width of the ramp shall be a minimum of 15 feet and the maximum slope of the ramp shall be 10 percent.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19291

Applicant: Peekema Ranch LP

Location Description: The project is located on the West Feather River Levee just east of Alexander Ave and the intersection with Richards Ave.

County: Butte

Stream: Feather River

Project Description: To authorize a landside and waterside access ramp for access to Peekema Ranch LP. The access ramp will have a structural section consisting of eight inches Class 2 aggregate base over 12 inches of subgrade compacted to 100 percent relative compaction in accordance with ASTM D698. The width of the ramp shall be a minimum of 15 feet and the maximum slope of the ramp shall be 10 percent.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19390

Applicant: Peekema Ranch LP

Location Description: The project is located on the West Feather River Levee just east of Alexander Ave near the intersection with Richards Ave.

County: Butte

Stream: Feather River

Project Description: To authorize a waterside access ramp for access to Peekema Ranch LP. The access ramp will have a structural section consisting of eight inches Class 2 aggregate base over 12 inches of subgrade compacted to 100 percent relative compaction in accordance with ASTM D698. The width of the ramp shall be a minimum of 15 feet and the maximum slope of the ramp shall be 10 percent.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19391

Applicant: City of Gridley

Location Description: The project is located on the West Feather River Levee just east of Alexander Ave near the intersection with Richards Ave.

County: Butte

Stream: Feather River

Project Description: To authorize a landside and waterside access ramp for access to City of Gridley lands located on waterside of levee. The access ramp will have a structural section consisting of eight inches Class 2 aggregate base over 12 inches of subgrade compacted to 100 percent relative compaction in accordance with ASTM D698. The width of the ramp shall be a minimum of 15 feet and the maximum slope of the ramp shall be 10 percent.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19392

Applicant: Farmland Reserve

Location Description: The project is located on the West Feather River Levee just east of Alexander Ave near the intersection with Richards Ave.

County: Butte

Stream: Feather River

Project Description: To authorize a landside access ramp for access to Farmland Reserve Inc lands. The access ramp will have a structural section consisting of eight inches Class 2 aggregate base over 12 inches of subgrade compacted to 100 percent relative compaction in accordance with ASTM D698. The width of the ramp shall be a minimum of 15 feet and the maximum slope of the ramp shall be 10 percent.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19393

Applicant: Farmland Reserve

Location Description: The project is located on the West Feather River Levee just northeast of Alexander Ave near the intersection with Richards Ave.

County: Butte

Stream: Feather River

Project Description: To authorize a waterside access ramp for access to Farmland Reserve Inc lands located on waterside of levee. The access ramp will have a structural section consisting of eight inches Class 2 aggregate base over 12 inches of subgrade compacted to 100 percent relative compaction in accordance with ASTM D698. The width of the ramp shall be a minimum of 15 feet and the maximum slope of the ramp shall be 10 percent.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19394

Applicant: Farmland Reserve

Location Description: The project is located on the West Feather River Levee just northeast of Alexander Ave near the intersection with Richards Ave.

County: Butte

Stream: Feather River

Project Description: To authorize a landside access ramp for access to Farmland Reserve Inc lands. The access ramp will have a structural section consisting of eight inches Class 2 aggregate base over 12 inches of subgrade compacted to 100 percent relative compaction in accordance with ASTM D698. The width of the ramp shall be a minimum of 15 feet and the maximum slope of the ramp shall be 10 percent.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19395

Applicant: Farmland Reserve Inc.

Location Description: The project is located on the West Feather River Levee just east of Kirk Rd and northeast of the intersection of Alexander Ave and Richards Ave.

County: Butte

Stream: Feather River

Project Description: To authorize a waterside access ramp for access to Farmland Reserve Inc lands located on waterside of levee. The access ramp will have a structural section consisting of eight inches Class 2 aggregate base over 12 inches of subgrade compacted to 100 percent relative compaction in accordance with ASTM D698. The width of the ramp shall be a minimum of 15 feet and the maximum slope of the ramp shall be 10 percent.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19396

Applicant: Farmland Reserve

Location Description: The project is located on the West Feather River Levee just east of Kirk Rd and northeast of the intersection of Alexander Ave and Richards Ave.

County: Butte

Stream: Feather River

Project Description: To authorize a landside and waterside access ramp for access to Farmland Reserve Inc lands located on waterside of levee. The access ramps will have a structural section consisting of eight inches Class 2 aggregate base over 12 inches of subgrade compacted to 100 percent relative compaction in accordance with ASTM D698. The width of the ramp shall be a minimum of 15 feet and the maximum slope of the ramp shall be 10 percent.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19397

Applicant: Sutter Butte Flood Control Agency

Location Description: The project is located on the West Feather River Levee just east of Kirk Rd and south of the Feather River Bridge.

County: Butte

Stream: Feather River

Project Description: To authorize a waterside access ramp for access to Sutter Butte Flood Control Agency lands located on waterside of levee. The access ramp will have a structural section consisting of eight inches Class 2 aggregate base over 12 inches of subgrade compacted to 100 percent relative compaction in accordance with ASTM D698. The width of the ramp shall be a minimum of 15 feet and the maximum slope of the ramp shall be 10 percent.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19398

Applicant: Butte Water District

Location Description: The project is located on the West Feather River Levee on the north side of the Feather River Bridge.

County: Butte

Stream: Feather River

Project Description: To authorize a landside access ramp for access to Butte Water District lands located on landside of levee. The access ramp will have a structural section consisting of eight inches Class 2 aggregate base over 12 inches of subgrade compacted to 100 percent relative compaction in accordance with ASTM D698. The width of the ramp shall be a minimum of 15 feet and the maximum slope of the ramp shall be 10 percent.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19399

Applicant: Cilker Revocable Trust

Location Description: The project is located on the West Feather River Levee east of Larkin Rd and north of the Feather River Bridge.

County: Butte

Stream: Feather River

Project Description: To authorize a waterside levee access ramp for access to Cilker Revocable Trust land located on waterside of levee. The access ramp will have a structural section consisting of eight inches Class 2 aggregate base over 12 inches of subgrade compacted to 100 percent relative compaction in accordance with ASTM D698. The width of the ramp shall be a minimum of 15 feet and the maximum slope of the ramp shall be 10 percent.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19401

Applicant: Deane and Edith Williams Testamentary Trust Estate

Location Description: The project is located on the West Feather River Levee just northeast of the Larkin Rd bend and north of the East Biggs community.

County: Butte

Stream: Feather River

Project Description: To authorize a landside and waterside access ramp for access to Deane and Edith Williams Testamentary Trust Estate. The access ramps will have a structural section consisting of three inches AC and eight inches Class 2 aggregate base over 12 inches of subgrade compacted to 100 percent relative compaction in accordance with ASTM D698. The width of the ramp shall be a minimum of 15 feet and the maximum slope of the ramp shall be 10 percent.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19402

Applicant: Deane and Edith Williams Testamentary Trust Estate

Location Description: The project is located on the West Feather River Levee east of Larkin Rd and north of the Larkin Rd bend.

County: Butte

Stream: Feather River

Project Description: To authorize a landside and waterside access ramp for access to Deane and Edith Williams Testamentary Trust Estate. The access ramps will have a structural section consisting of three inches AC and eight inches Class 2 aggregate base over 12 inches of subgrade compacted to 100 percent relative compaction in accordance with ASTM D698. The width of the ramp shall be a minimum of 15 feet and the maximum slope of the ramp shall be 10 percent.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19404

Applicant: Jeff and Darlene Fredericks Trust

Location Description: The project is located on the West Feather River Levee east of Larkin Rd and just south of Vance Ave.

County: Butte

Stream: Feather River

Project Description: To authorize a landside and waterside access ramp for access to Jeff and Darlene Fredericks Trust land. The access ramps will have a structural section consisting of eight inches Class 2 aggregate base over 12 inches of subgrade compacted to 100 percent relative compaction in accordance with ASTM D698. The width of the ramp shall be a minimum of 15 feet and the maximum slope of the ramp shall be 10 percent.

LMA Endorsement: Maintenance Area 7

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting existing private facilities. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19410

Applicant: Sandra Anne Waller Living Trust

Location Description: Located on West Feather River Levee just east of East Evans Reimer Road.

County: Butte

Stream: Feather River

Project Description: To authorize an existing 24-inch diameter corrugated metal storm drain pipe crossing, a gate riser structure with a 24x24-inch sluice gate, a 24-inch flap gate, outlet structure, and rip rap at waterside toe, and an inlet structure on landside toe.

LMA Endorsement: Maintenance Area 7

CEQA Finding: As a responsible agency under CEQA, Board staff has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, SBFCA.

The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA California Code of Regulations, Title 14, Section 15096(g); CEQA Public Resources Code Section 21002.1(d)). Here, the Board's action is limited to approving an encroachment permit, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system.

The Board approved the construction of the Feather River West Levee Project, on February 28, 2014, and made appropriate CEQA findings for significant and unavoidable impacts for the Feather River West Levee Project, Contract D as further described in its previously adopted Resolution 2014-01. Subsequently, the Board filed a Notice of Determination with the State Clearinghouse on March 6, 2014. The Board finds that authorization of the pipelines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur, and no new mitigation measures are required pursuant to CEQA California Code of Regulations, Title 14, Section 15162. Therefore, no new environmental document is required pursuant to CEQA California Code of Regulations, Title 14, Section 15168.

These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

Application Number: 19411

Applicant: Sandra Anne Waller Living Trust

Location Description: Located on West Feather River Levee just east of East Evans Reimer Road.

County: Butte

Stream: Feather River

Project Description: To authorize an existing 24-inch diameter welded steel storm drain pipe crossing, a gate riser structure with a 24x24-inch sluice gate at the waterside hinge, a 24-inch flap gate, outlet structure, and rip rap at the waterside toe, and inlet structure on landside toe.

LMA Endorsement: Maintenance Area 7

CEQA Finding: As a responsible agency under CEQA, Board staff has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, SBFCA.

The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA California Code of Regulations, Title 14, Section 15096(g); CEQA Public Resources Code Section 21002.1(d)). Here, the Board's action is limited to approving an encroachment permit, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system.

The Board approved the construction of the Feather River West Levee Project, on February 28, 2014, and made appropriate CEQA findings for significant and unavoidable impacts for the Feather River West Levee Project, Contract D as further described in its previously adopted Resolution 2014-01. Subsequently, the Board filed a Notice of Determination with the State Clearinghouse on March 6, 2014. The Board finds that authorization of the pipelines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur, and no new mitigation measures are required pursuant to CEQA California Code of Regulations, Title 14, Section 15162. Therefore, no new environmental document is required pursuant to CEQA California Code of Regulations, Title 14, Section 15168.

These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

Application Number: 19604

Applicant: Bremner Farms

Location Description: The project is located within the Butte Basin at 9457 River Road, approximately 1.30 miles north from the intersection of River Road and Ord Ferry Road, southwest of the City of Chico.

County: Butte

Stream: Butte Basin

Project Description: To authorize an existing 255-foot-by-29.5-foot solar array. The solar array is supported by steel posts with concrete piers set up to 5.5 feet below grade.

LMA Endorsement: N/A

CEQA Finding: The Board has determined that the project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (CEQA California Code of Regulations, Title 14, Section 15301), because the activity consists of permitting an existing solar array. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in CEQA California Code of Regulations, Title 14, Section 15300.2 apply.

Application Number: 19725

Applicant: RNG Moovers, LLC

Location Description: The project is located where county road Avenue 21 crosses the Eastside Bypass, approximately 15-miles southwest of the City of Chowchilla.

County: Madera

Stream: Eastside Bypass

Project Description: To bore a 6-inch diameter natural pipeline under the Eastside Bypass. High density polyethylene (HDPE) casings would be bored under the Bypass, with two (2) 3-inch diameter carrier pipes installed within, one made of steel and the other of fiberspar.

LMA Endorsement: Lower San Joaquin Levee District

CEQA Finding: As a responsible agency under CEQA, Board staff has reviewed the Initial Study/Negative Declaration (IS/ND) for the CUP#2021-019 - Red Top Jerseys Digester and Pipelines Project Draft and the Final Initial Study/Negative Declaration (IS/ND) (State Clearinghouse No. 2023070480, January 4th, 2022), prepared by the lead agency, Madera County. The proposed work which involves borings to facilitate installation of a 6-inch natural gas pipeline is covered by the IS/ND. Madera County determined that the project will not have a significant effect on the environment and filed a Notice of Determination with the State Clearinghouse on July 24th, 2023. The IS/ND found less than significant impacts under hydrology for flood-related impacts associated with the installation of the underground natural gas pipeline.

In accordance with CEQA California Code of Regulations, Title 14, Section 15096(f), Board staff considered Madera County's IS/ND, which supports the Board's approval of Permit No. 19725 to authorize work to install a 6-inch natural gas pipeline which is within the Board's jurisdiction as it relates to effects on the federal-State facilities of the State Plan of Flood Control, regulated streams, designated floodways, and easements (Adopted Plan of Flood Control). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA California Code of Regulations, Title 14, Section 15096(g); Public Resources Code § 21002.1(d)). Here, the Executive Officer's action is limited to approving an encroachment permit, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the Adopted Plan of Flood Control.

According to the discussion within the IS/ND, the proposed installation of the underground natural gas pipeline results in less than significant impacts related to flood risk. When considering the record as a whole, and in accordance with CEQA California Code of Regulations, Title 14, Section 15096(f) and (g), staff recommends that the Executive Officer make responsible agency findings that approval of Permit No. 19725 will not result in any significant adverse impacts related to flood risk. The project

will not adversely impact the Adopted Plan of Flood Control; therefore, no conditions or mitigation measures within the Board's jurisdiction are required.

These documents, including project design, are available for review in hard copy at the Board and Madera County's offices. These documents which constitute the administrative record of the Board in this matter are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

Application Number: 5722-1

Applicant: City of Gridley

Location Description: Located on West Feather River Levee located about 1.0 mile south of East Gridley Road.

County: Butte

Stream: Feather River

Project Description: To remove and replace an existing 18-inch diameter pressurized wastewater pipe crossing and air release valve authorized under Permit 5722. To authorize an 18-inch gate valve and utility box at the waterside hinge and 18-inch gate valves at the waterside levee toe and landside levee toe.

LMA Endorsement: Maintenance Area 7

CEQA Finding: As a responsible agency under CEQA, Board staff has reviewed the Feather River West Levee Project EIS/EIR (State Clearinghouse No. 2011052062, April 2013), the Mitigation Monitoring and Reporting Program (MMRP), and Statement of Overriding Considerations, prepared by the lead agency, SBFCA.

The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (CEQA California Code of Regulations, Title 14, Section 15096(g); CEQA Public Resources Code Section 21002.1(d)). Here, the Board's action is limited to approving an encroachment permit, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the State's flood control system.

The Board approved the construction of the Feather River West Levee Project, on February 28, 2014, and made appropriate CEQA findings for significant and unavoidable impacts for the Feather River West Levee Project, Contract D as further described in its previously adopted Resolution 2014-01. Subsequently, the Board filed a Notice of Determination with the State Clearinghouse on March 6, 2014. The Board finds that authorization of the pipelines is within the scope of the previously adopted Feather River West Levee Project EIS/EIR and constitutes a subsequent activity to the EIR. The Board further finds that no new environmental effects could occur, and no new mitigation measures are required pursuant to CEQA California Code of Regulations, Title 14, Section 15162. Therefore, no new environmental document is required pursuant to CEQA California Code of Regulations, Title 14, Section 15168.

These documents, including project design, are available for review in hard copy at the Board and SBFCA's offices. These documents, which constitute the administrative record of the Board in this

matter, are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

Application Number: 6293-1

Applicant: Jeffrey & Jennifer Hunt

Location Description: The project is located in the City of Sacramento at 925 Piedmont Drive. Section 22, T8N, R4E, M.D.B.&M., Maintenance Area 9, Levee Mile 1.01, Sacramento River, Sacramento County

County: Sacramento

Stream: Sacramento River

Project Description: This is a “name change” permit only and includes conditions that are consistent with current flood control standards and policies of the Central Valley Flood Protection Board. This permit supplements Permit No. 6293-A that was issued to Robert E Nevis on October 17, 1978 to authorize the transfer of application no. 6293 from William N. Geyer to Robert Nevis and to authorize the existing five fruit trees, concrete stairway, sprinkler system, ground cover on landward slope of levee, and lower terraced portion of landward slope of the levee, located on the left bank of Sacramento River.

LMA Endorsement: Maintenance Area 9

CEQA Finding: The Board has determined that an application to change the name of the permittee does not have the potential to result in either a direct physical change in the environment or a reasonably foreseeable indirect physical change in the environment, and thus, is not a “project” for purposes of CEQA (CEQA Public Resources Code Section 21065; CEQA California Code of Regulations, Title 14, Section 15378(a)).