

# Central Valley Flood Protection Board

## Executive Officer Delegation Report

Posting Date: July 10th, 2026  
Number of Applications Scheduled: 8

### Application Number: 7891-2

**Applicant:** Mario Anthony Jaques and Michelle Grupe Jaques and Chandler Gabriel Jaques and Giavonna Toccoli Jaques

**Location Description:** This project is located at levee mile 1.41 of the Reclamation District No. 2089 Unit No. 01 Old River levee in San Joaquin County, 37.80632°N, 121.40616°W.

**County:** San Joaquin

**Stream:** Old River

**Project Description:** This is a "name change" permit that includes conditions that are consistent with current flood control standards and policies of the Central Valley Flood Protection Board. This permit supplements and where in conflict supersedes Permit No. 7891-1 EO, issued to Jaspal Singh and Manpreet Kaur in 2022, as a name change to Permit 7891 that authorized the installation of a 10-inch steel pipe through the north levee of Old River in Reclamation District No. 2089, 3.67 feet below the levee crown. Appurtenances to the 10-inch pipe include a siphon breaker at the waterside hinge where the pipe diameter decreases to 8 inches down the waterside slope, and a pump that sits within a landside drainage ditch.

**LMA Endorsement:** Reclamation Districts 17, 2058, and 2089

**CEQA Finding:** The Board has determined that an application to change the name of the permittee does not have the potential to result in either a direct physical change in the environment or a reasonably foreseeable indirect physical change in the environment, and thus, is not a "project" for purposes of the California Environmental Quality Act (Public Resources Code Section 21065; California Code of Regulations, Title 14, Section 15378(a)).

### Application Number: 13470-1

**Applicant:** D & L River View Holdings LLC

**Location Description:** The project is located on the left bank and within the Designated Floodway of the Kaweah River, at 36.44939°N, 118.89970°W, Tulare County.

**County:** Tulare

**Stream:** Kaweah River

**Project Description:** This is a "name change" permit that includes conditions that are consistent with current flood control standards and policies of the Central Valley Flood Protection Board. This permit supplements and where in conflict supersedes Permit No. 13470A, issued to Irving Brendel in 1983, authorizing the construction of a restaurant on an existing foundation.

**LMA Endorsement:** N/A

**CEQA Finding:** The Board has determined that an application to change the name of the permittee does not have the potential to result in either a direct physical change in the environment or a reasonably foreseeable indirect physical change in the environment, and thus, is not a “project” for purposes of the California Environmental Quality Act (CEQA Public Resources Code Section 21065; CEQA California Code of Regulations, Title 14, Section 15378(a)).

**Application Number: 19669**

**Applicant:** Reclamation District 817

**Location Description:** The project is located where 40 Mile Road crosses the Dry Creek north levee approximately 2.75 mile east of State Route 70 and 3 miles west of the Town of Wheatland, on Unit 3 South Dry Creek levee at Levee Mile 1.26, in Yuba County (38.9967, -121.4921).

**County:** Yuba

**Stream:** Dry Creek

**Project Description:** To install a new 18-inch diameter welded steel pipe above the elevation of 54.65 feet (NAVD88). The pipe will be encased with 1 foot of controlled low strength material (CLSM) on all sides. At the landside of the pipe inlet, a precast concrete headwall and trash rack will be installed to minimize debris entering the pipe. At the waterside pipe outlet, a precast concrete headwall, flapgate, and rock slope protection will be placed to minimize erosion at the outlet. At the levee embankment crest waterside hinge point, a 4 feet by 6 feet by 19 feet deep precast concrete gate-well will be installed. The gate-well will house an OSHA-approved access ladder, an 18-inch diameter automatic sluice gate (SC-5900 NRS-Y or equivalent) as positive closure device, and a gate lift.

**LMA Endorsement:** Reclamation District 817

**CEQA Finding:** The Board is a responsible agency under CEQA. Board staff has reviewed the Gibbs Pond and 40 Mile Road Pipe Repair Project Draft and the Final Initial Study/Mitigated Negative Declaration (IS/MND) (SCH No. 2021110450, January 2022), the Mitigation Monitoring and Reporting Program (MMRP), and the Addendum to the Final IS/MND, prepared for the lead agency, Reclamation District 817. The proposed project is covered by the IS/MND. Reclamation District 817 determined that the project will not have a significant effect on the environment and filed a Notice of Determination with the Yuba County Deputy Clerk on January 24, 2022, and with the State Clearinghouse (SCH) on January 25, 2022. Reclamation District 817 incorporated mandatory mitigation measures into the project plans to avoid or mitigate impacts. These mitigation measures, included in Reclamation District 817’s IS/MND and MMRP, address impacts to air quality, biological resources, hazards and hazardous materials, hydrology and water quality, and tribal cultural resources. These mitigation measures are within the responsibility and jurisdiction of, and have been adopted by, Reclamation District 817. The IS/MND found no impact under hydrology for flood-related impacts associated with the proposed project.

In accordance with California Code of Regulations, Title 14, Section 15096(f), Board staff considered Reclamation District 817’s IS/MND, which supports the Board’s approval of Permit No. 19669 to authorize the proposed project which is within the Board’s jurisdiction as it relates to effects on the federal-State facilities of the State Plan of Flood Control, regulated streams, designated floodways, and easements (Adopted Plan of Flood Control). The Board, as a responsible agency, is responsible

for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (California Code of Regulations, Title 14, Section 15096(g); Public Resources Code Section 21002.1(d)). Here, the Executive Officer's action is limited to approving a Board permit, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the Adopted Plan of Flood Control.

In addition to the discussion within the IS/MND related to flood risk, Board staff reviewed hydraulic analysis to determine if there will be flood impacts as a result of the project. The 1% Channel Blockage Calculation Memorandum prepared by MBK Engineers (June 2022) found the proposed project will block approximately 30 square feet of the 3,850-square-foot floodway cross-sectional area, resulting in a blockage of approximately 0.77 percent. A floodway conveyance blockage of less than 1% at the design discharge is considered to be less than significant. Therefore, no further hydraulic analysis was required. Board staff has reviewed the hydraulic analysis, agree with the methodology and findings, and has determined that impacts to flood risk will be less than significant. When considering the record as a whole, including the hydraulic analysis, and in accordance with California Code of Regulations, Title 14, Section 15096(f) and (g), the Board finds that approval of Permit No. 19669 will not result in any significant adverse impacts related to flood risk. The project will not adversely impact the Adopted Plan of Flood Control; therefore, no conditions or mitigation measures within the Board's jurisdiction are required.

These documents, including project design, are available for review at the Board and Reclamation District 817's offices. These documents which constitute the administrative record of the Board in this matter are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

### **Application Number: 20013**

**Applicant:** Nelson Del Rio

**Location Description:** The project is located on the left (west) bank of the Sacramento River at 3356 Wilshire Dr, Redding CA 96002, in Shasta County (40.557871, -122.37357).

**County:** Shasta

**Stream:** Sacramento River

**Project Description:** To install rock slope protection along the Sacramento River at a residence consisting of two adjacent parcels, authorize an existing irrigation pump station, and replace two intake screens on the existing pump station. The project includes removal of existing vegetation and trees, excavation of the riverbank to a depth of 3.25 feet and up to 13.5 feet landward from the bank, placement of rock slope protection, and replacement of two intake screens. The existing irrigation pump station consists of two intake screens, 12-inch and 8-inch intake pipes, and a vault structure.

**LMA Endorsement:** N/A

**CEQA Finding:** The project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (California Code of Regulations, Title 14, Section 15301), because the activity consists of the operation, repair, maintenance, permitting, leasing, licensing or minor alteration of existing public or private structures, facilities, mechanical equipment, or topographical features, involving negligible or no expansion of use. No expansion of existing or former use will occur. The project is also exempt

from CEQA under the Class 2, Replacement or Reconstruction categorical exemption (California Code of Regulations, Title 14, 15302), because the activity consists of replacement and reconstruction of an existing structure in the same site and will have substantially the same purpose and capacity as the replaced structure. The project is also exempt from CEQA under the Class 4, Minor Alterations to Land categorical exemption (California Code of Regulations, Title 14, Section 15304), because the activity consists of minor public or private alterations in the condition of land, water, and/or vegetation which do not involve removal of healthy, mature, scenic trees except for forestry or agricultural purposes. Further, none of the exceptions to the exemption in California Code of Regulations, Title 14, Section 15300.2 apply.

**Application Number: 20045**

**Applicant:** Merced Irrigation District

**Location Description:** The project is located directly to the west of the South Quinley Avenue crossing over Owens Creek at approximate coordinates 37.232342°N, 120.597813°W, Merced County.

**County:** Merced

**Stream:** Owens Creek

**Project Description:** To authorize the existing stream gauge station and erosion control measures on the right bank of Owens Creek. The stream gauge station consists of a 36-inch diameter corrugated metal pipe recorder house on top of a concrete foundation, a 30-inch diameter concrete pipe underneath the concrete foundation, and a leader pipe that extends into the Owens Creek floodway with a concrete footing. The erosion control measures include a 20-foot-by-25-foot section of geotextile fabric and riprap. The stream gauge station was installed prior to the Adopted Plan of Flood Control.

**LMA Endorsement:** N/A

**CEQA Finding:** The project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (California Code of Regulations, Title 14, Section 15301), because the activity consists of the operation, repair, maintenance, permitting, leasing, licensing or minor alteration of existing public or private structures, facilities, mechanical equipment, or topographical features, involving negligible or no expansion of use. No expansion of existing or former use will occur. Further, none of the exceptions to the exemptions in California Code of Regulations, Title 14, Section 15300.2 apply.

**Application Number: 20099**

**Applicant:** CAMP GOLD STAR LLC

**Location Description:** The project is located at 4103 Zuckerman Road, along the left bank of the San Joaquin River, on the northern point of McDonald Island, located approximately 10 miles northwest of the City of Stockton, at 38.025182°N 121.475889°W, San Joaquin River, Reclamation District 2030, San Joaquin County.

**County:** San Joaquin

**Stream:** San Joaquin River

**Project Description:** To install a new 6,360 square foot floating dock with an attached shed on 15 new piles with a four-foot-wide aluminum gangway on a concrete landing for new Camp Gold Star mobile lodges.

**LMA Endorsement:** N/A

**CEQA Finding:** The Board is a responsible agency under CEQA. Board staff has reviewed the PA-2400377 Conditional Use Permit / Camp Gold Star Project Draft and the Final Initial Study/Mitigated Negative Declaration (IS/MND) (State Clearinghouse No. 2025080302, August 2025), and the Mitigation Monitoring and Reporting Program (MMRP), prepared for the lead agency, San Joaquin County. The proposed project is covered by the IS/MND. The San Joaquin County determined that the project will not have a significant effect on the environment and filed a Notice of Determination with the San Joaquin County Clerk on November 10, 2025, and with the State Clearinghouse on November 12, 2025. The San Joaquin County incorporated mandatory mitigation measures into the project plans to avoid or mitigate impacts. These mitigation measures, included in the San Joaquin County's IS/MND and MMRP, address impacts to biological resources, cultural resources, geology and soils, and tribal cultural resources. These mitigation measures are within the responsibility and jurisdiction of, and have been adopted by, San Joaquin County. The IS/MND found less than significant impacts under hydrology for flood-related impacts associated with the proposed project.

In accordance with California Code of Regulations, Title 14, Section 15096(f), Board staff considered the San Joaquin County's IS/MND, which supports the Board's approval of Permit No. 20099 to authorize the proposed project which is within the Board's jurisdiction as it relates to effects on the federal-State facilities of the State Plan of Flood Control, regulated streams, designated floodways, and easements (Adopted Plan of Flood Control). The Board, as a responsible agency, is responsible for mitigating or avoiding only the direct or indirect environmental effects of those parts of the project which it decides to approve (California Code of Regulations, Title 14, Section 15096(g); Public Resources Code Section 21002.1(d)). Here, the Board's action is limited to approving a Board permit, and the Board's jurisdiction is limited to imposing conditions to mitigate or avoid impacts to the environment under its authority, specifically the Adopted Plan of Flood Control.

According to the discussion within the IS/MND, the proposed project results in less than significant impacts related to flood risk. When considering the record as a whole, and in accordance with California Code of Regulations, Title 14, Section 15096(f) and (g), the Board finds that approval of Permit No. 20099 will not result in any significant adverse impacts related to flood risk. The project will not adversely impact the Adopted Plan of Flood Control; therefore, no conditions or mitigation measures within the Board's jurisdiction are required.

These documents, including project design, are available for review at the Board and the San Joaquin County's offices. These documents which constitute the administrative record of the Board in this matter are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.

**Application Number:** 20106

**Applicant:** Verizon Wireless

**Location Description:** The project is located at 4409 Aguas Frias Rd within the town of Richvale and within Zone E of the Butte Basin, at 39.4644778°N 121.859105°W, Butte Basin, Butte County.

**County:** Butte

**Stream:** Butte Basin

**Project Description:** To authorize an existing 40-foot by 40-foot Verizon Wireless facility with 6-foot tall chain-link fence and gate along its perimeter and an access road. The facility consists of a 124-foot-tall monopole cell tower, 12-foot by 30-foot equipment platform with equipment, generator, light pole, and antennas.

**LMA Endorsement:** Butte County Public Works

**CEQA Finding:** The project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (California Code of Regulations, Title 14, Section 15301), because the activity consists of the operation, repair, maintenance, permitting, leasing, licensing or minor alteration of existing public or private structures, facilities, mechanical equipment, or topographical features, involving negligible or no expansion of use. No expansion of existing or former use will occur. Further, none of the exceptions to the exemptions in California Code of Regulations, Title 14, Section 15300.2 apply.

**Application Number:** 20109

**Applicant:** Pacific Gas and Electric (PG&E)

**Location Description:** The project is located where the existing distribution line (3-6C) crosses the San Joaquin River Designated Floodway, approximately 9.35 miles north of the City of Fresno , at 36.875056°N 119.794777°W, San Joaquin River, Madera County.

**County:** Madera

**Stream:** San Joaquin River

**Project Description:** To authorize the existing 12 kV crossings (3-6C & 3-4AR) and replacing the poles, anchors, and overhead conductors crossing the San Joaquin River Designated Floodway.

**LMA Endorsement:** N/A

**CEQA Finding:** The project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (California Code of Regulations, Title 14, Section 15301), because the activity consists of the operation, repair, maintenance, permitting, leasing, licensing or minor alteration of existing public or private structures, facilities, mechanical equipment, or topographical features, involving negligible or no expansion of use. No expansion of existing or former use will occur. Additionally, the project is exempt from CEQA under the Class 2, Replacement or Reconstruction categorical exemption (California Code of Regulations, Title 14, 15302), because the activity consists of replacement and reconstruction of an existing structure in the same site and will have substantially the same purpose and capacity as the replaced structure. Further, none of the exceptions to the exemption in California Code of Regulations, Title 14, Section 15300.2.