

Central Valley Flood Protection Board

Executive Officer Delegation Report

Posting Date: August 10th, 2026
Number of Applications Scheduled: 16

Application Number: 4213-1

Applicant: Charles T. Yerxa Farms, Inc.

Location Description: The project is located on the right bank of the Sacramento River, at levee mile 3.69 of the Sutter Maintenance Yard Unit No. 01 Sacramento River levee, Colusa County, 39.25590°N, 122.00974°W.

County: Colusa

Stream: Sacramento River

Project Description: This is a "name change" permit that includes conditions that are consistent with current flood control standards and policies of the Central Valley Flood Protection Board. This permit supplements and where in conflict supersedes Permit No. 4213, issued to N.J. Scott Ranch in 1963, to abandon one 24-inch diameter pipeline and install a new 24-inch diameter pipeline.

LMA Endorsement: Sutter Maintenance Yard

CEQA Finding: The Board has determined that a request to change the name of the permittee, with no change to the approved project activities or permit conditions, is an administrative action. The requested action does not have the potential to result in either a direct physical change in the environment or a reasonably foreseeable indirect physical change in the environment and, therefore, is not a "project" subject to CEQA pursuant to Public Resources Code section 21065 and California Code of Regulations, title 14, section 15378(a).

Application Number: 11193-1

Applicant: Bailey Ranch

Location Description: The project is located on the Unit No. 2 levee of Reclamation District No. 556, on the left bank of the Sacramento River at Andrus Island in Sacramento County, at 38.22628°N, 121.55524°W, Sacramento River, Reclamation District No. 556 (RD 556), Sacramento County.

County: Sacramento

Stream: Sacramento River

Project Description: This is a "name change" permit that includes conditions that are consistent with current flood control standards and policies of the Central Valley Flood Protection Board. This permit supplements and where in conflict supersedes conditions in Permit No. 11193 that was issued to Gertrude M. Reid on July 18, 1975 to authorize the following encroachments: 1. At Levee Mile 3.06: A 12-inch pipe through levee six feet below the levee crown; a pump on pile structure; a steel walkway to pump; and wood steps on waterward levee slope. 2. At Levee Mile 3.09: A ramp on landward levee slope. 3. At Levee Mile 3.14: A ramp on landward levee slope.

LMA Endorsement: Reclamation District 556

CEQA Finding: The Board has determined that a request to change the name of the permittee, with no change to the approved project activities or permit conditions, is an administrative action. The requested action does not have the potential to result in either a direct physical change in the environment or a reasonably foreseeable indirect physical change in the environment and, therefore, is not a “project” subject to CEQA pursuant to Public Resources Code section 21065 and California Code of Regulations, title 14, section 15378(a).

Application Number: 17447-1

Applicant: Bailey Ranch

Location Description: The project is located approximately 2 miles west of Walnut Grove and 1/2 mile downstream (south) of Ryde , at 38.226197°N, 121.555348°W, Sacramento River, Reclamation District 556, Sacramento County.

County: Sacramento

Stream: Sacramento River

Project Description: This is a "name change" permit that includes conditions that are consistent with current flood control standards and policies of the Central Valley Flood Protection Board. This permit supplements and where in conflict supersedes conditions in Permit No.17447 that was issued to Kevin Steward/DCC Engineering Co, Inc. in 2002 to construct an 8- by 40-foot boat dock supported on three 14-inch-diameter steel pilings within the channel, a 40- by 4-foot gangway anchored to a concrete deadman structure supported on two 8-inch-diameter steel pilings on the waterside slope; and install a 12-inch-diameter steel utility conduit through the left (east) bank levee (Isleton Road) of the Sacramento River.

LMA Endorsement: Reclamation District 556

CEQA Finding: The Board has determined that a request to change the name of the permittee, with no change to the approved project activities or permit conditions, is an administrative action. The requested action does not have the potential to result in either a direct physical change in the environment or a reasonably foreseeable indirect physical change in the environment and, therefore, is not a “project” subject to CEQA pursuant to Public Resources Code section 21065 and California Code of Regulations, title 14, section 15378(a).

Application Number: 19073-1

Applicant: Recology Yuba Sutter

Location Description: The project is located east of Highway 20 approximately 2.8-mile northwest of the City of Marysville, within the Yuba River Designated Floodway , at 39.17189°N 121.55139°W, Marysville Levee Commission, Yuba River, Yuba County.

County: Yuba

Stream: Yuba River

Project Description: To authorize the existing 123-foot diameter and 75-foot diameter storage tanks (combined capacity of 1.5 million gallons), above ground conveyance pipes, and pump station, originally approved as a temporary installation via Board Permit No. 19073, to be utilized for stormwater runoff management and treatment within the Yuba River Designated Floodway.

LMA Endorsement: Marysville Levee Commission

CEQA Finding: The Board has determined that the project activities within the Board's authority are exempt from CEQA pursuant to the Class 1 (Existing Facilities) categorical exemption (California Code of Regulations, title 14, section 15301). The project qualifies for this exemption because it is limited to the operation, repair, maintenance, permitting, or minor alteration of an existing facility and involves negligible or no expansion of existing or former use. The Board further finds that none of the exceptions to the categorical exemptions set forth in California Code of Regulations, title 14, section 15300.2 apply

Application Number: 19483-1

Applicant: Donald & Donna Heiny

Location Description: The project is located along the right (north) bank of the San Joaquin River, at 14054 Crows Landing Road, at 37.42951°N 121.00564°W, Reclamation District 2063, San Joaquin River, Stanislaus County.

County: Stanislaus

Stream: San Joaquin River

Project Description: To authorize; an existing 16-foot wide gate, existing fruit trees and agricultural fields located more than 10 feet from the waterside levee toe, an existing water storage tank, an existing pump on the waterside berm, existing irrigation lines to waterside farming, an existing 4.5-foot by 5.5-foot concrete vault, and 10 inch steel irrigation pipe through levee 4 feet below crown of levee, existing ramps along the landside and waterside levee slopes as shown in levee as-constructed drawing 7-4-1555 STA 286+05 & 286+25, an existing concrete irrigation standpipe on land side of levee toe. shown in levee as-constructed drawing 7-4-1555 STA 281+33. This permit supplements and where in conflict supersedes the conditions in Permit No. 19483.

LMA Endorsement: Reclamation District 2063

CEQA Finding: The Board has determined that issuance of Permit No. 19483-1 is a ministerial action pursuant to Public Resources Code section 21080(b)(1) and California Code of Regulations, title 14, sections 15300.1 and 15369. The reissuance does not authorize a new project or any changes to the previously approved project activities. The action is limited to correcting an error in the size of the existing pipe, and the Board has no discretionary authority to modify the project based on environmental considerations. Accordingly, CEQA review is not required for issuance of Permit No. 19483-1, and the prior CEQA determination for Permit No. 19483 remains applicable.

Application Number: 19872-1

Applicant: Pacific Gas and Electric (PG&E)

Location Description: The proposed project is located on the Lake Washington Boulevard bridge in West Sacramento , at 38.56132138561321°N 121.538805°W, Reclamation District 900 (RD 900), Sacramento River Deep Water Channel, Yolo County.

County: Yolo

Stream: Sacramento Deep Water Channel

Project Description: To install 1,096 feet of electric distribution conductor through an existing 6-inch conduit across Lake Washington Boulevard bridge authorized under Board Permit No. 19872. This permit also corrects the project description of Board Permit 19872 as follows: To install a new high voltage line within an existing 6-inch diameter steel conduit and to install a spare conduit consisting of **two 6-inch diameter** steel conduits anchored along the outside sidewalk wall off the existing bridge deck. All conduits will be installed no lower than elevation 32.8 feet (NAVD88). The spare conduit will be capped pending future use. No in-channel work is expected. This permit supplements and where in conflict supersedes the conditions in Permit No. 19872 that was issued to PG&E on April 22, 2025.

LMA Endorsement: N/A

CEQA Finding: The project is exempt from CEQA under the Class 1, Existing Facilities categorical exemption (California Code of Regulations, Title 14, Section 15301), because the activity consists of the operation, repair, maintenance, permitting, leasing, licensing or minor alteration of existing public or private structures, facilities, mechanical equipment, or topographical features, involving negligible or no expansion of use. No expansion of existing or former use will occur. Further, none of the exceptions to the exemption in California Code of Regulations, Title 14, Section 15300.2 apply. Additionally, the Board has determined that the project activities within the Board's authority are exempt from CEQA pursuant to the Class 3 (New Construction or Conversion of Small Structures) categorical exemption (California Code of Regulations, title 14, section 15303). The project qualifies for this exemption because it involves the construction or installation of small facilities or structures, or minor conversion of an existing small structure, consistent with this exemption. The Board further finds that none of the exceptions to the categorical exemptions set forth in California Code of Regulations, title 14, section 15300.2 apply.

Application Number: 19929

Applicant: Pacific Gas and Electric (PG&E)

Location Description: The existing pipeline crosses the Kern River channel approximately 1,600 feet southwest of the State Route 204 bridge, at 35.39071°N 119.03206°W, Kern County.

County: Kern

Stream: Kern River

Project Description: To authorize the existing PG&E 12-in diameter natural gas transmission steel pipeline (L-142N) that crosses the Kern River Designated Floodway near the City of Bakersfield.

LMA Endorsement: N/A

CEQA Finding: The Board has determined that the project activities within the Board's authority are exempt from CEQA pursuant to the Class 1 (Existing Facilities) categorical exemption (California Code of Regulations, title 14, section 15301). The project qualifies for this exemption because it is limited to the operation, repair, maintenance, permitting, or minor alteration of an existing facility and involves negligible or no expansion of existing or former use. The Board further finds that none of the exceptions to the categorical exemptions set forth in California Code of Regulations, title 14, section 15300.2 apply.

Application Number: 20006

Applicant: County of Fresno

Location Description: The project is located within Kings River Park on the north (right) bank of Kings River, west of Fowler Avenue, in the unincorporated community of Laton, at approximately 36.427719 N, 119.690281 W, Fresno County .

County: Fresno

Stream: Kings River

Project Description: To replace two existing shelter structures and construct three new shelter structures; install two playground structures; improve the existing parking lot and parking stalls to achieve Americans with Disabilities Act (ADA) compliance; construct new and replace existing non-ADA-compliant asphalt or concrete pathways; and replace existing and install new picnic tables, barbeque grills, and park benches as part of the Laton-Kingston Park Improvement Project..

LMA Endorsement: N/A

CEQA Finding: The Board has determined that the project activities within the Board's authority are exempt from CEQA pursuant to the Class 1 (Existing Facilities) categorical exemption (California Code of Regulations, title 14, section 15301). The project qualifies for this exemption because it is limited to the operation, repair, maintenance, permitting, or minor alteration of an existing facility and involves negligible or no expansion of existing or former use. The project is also exempt from CEQA under the Class 2 (Replacement or Reconstruction) categorical exemption (California Code of Regulations, title 14, section 15302). The project qualifies for this exemption because it involves the replacement or reconstruction of an existing structure or facility that will be located on the same site as the structure or facility replaced and will have substantially the same purpose and capacity. The project is also exempt from Class 3 (New Construction or Conversion of Small Structures) categorical exemption (California Code of Regulations, title 14, section 15303). The project qualifies for this exemption because it involves the construction or installation of small facilities or structures, or minor conversion of an existing small structure, consistent with this exemption. . The project is also exempt from CEQA pursuant to the Class 11 (Accessory Structures) categorical exemption (California Code of Regulations, title 14, section 15311). The project qualifies for this exemption because it involves construction or replacement of minor structures accessory to existing facilities. The Board further finds that none of the exceptions to the categorical exemptions set forth in California Code of Regulations, title 14, section 15300.2 apply.

Application Number: 20050-1

Applicant: Fresno Irrigation District

Location Description: The project is located along the bank of the Friant-Kern Canal, approximately 13 miles northeast of the City of Fresno, at 36.870083°N 119.596172°W, Dry Creek, Fresno County.

County: Fresno

Stream: Dry Creek

Project Description: To construct a new concrete turnout structure along the bank of the Friant-Kern Canal (FKC) that would divert and deliver water from the FKC into Dry Creek via a 72-inch diameter reinforced concrete pipeline installed underground connected to a new concrete outlet structure with rip rap located on the bank of Dry Creek. To excavate and construct an open channel lined with rip rap to convey water flow to Dry Creek. This permit supplements and where in conflict supersedes the conditions in Permit No. 20050 that was issued to same permittee with the same project description.

LMA Endorsement: N/A

CEQA Finding: The Board has determined that issuance of Permit No. 20050-1 is a ministerial action pursuant to Public Resources Code section 21080(b)(1) and California Code of Regulations, title 14, sections 15300.1 and 15369. The reissuance does not authorize a new project or any changes to the previously approved project activities. The action is limited to removal of a permit condition that was inadvertently included in the permit, and the Board has no discretionary authority to modify the project based on environmental considerations. Accordingly, CEQA review is not required for issuance of Permit No. 20050-1, and the prior CEQA determination for Permit No. 20050-1 remains applicable.

Application Number: 20093

Applicant: California Department of Transportation (CalTrans)

Location Description: The culvert crossing is located at post-mile 10.6 at 38°52'58.3"N, 121°34'05.4"W, Coon Creek, Reclamation District 1001, Sutter County.

County: Sutter

Stream: Coon Creek

Project Description: To authorize the existing 72-inch by 177-inch reinforced concrete culvert crossing constructed in 1958 conveying Coon Creek, a Central Valley Flood Protection Board Regulated Stream, under Highway 99.

LMA Endorsement: N/A

CEQA Finding: The Board has determined that the project activities within the Board's authority are exempt from CEQA pursuant to the Class 1 (Existing Facilities) categorical exemption (California Code of Regulations, title 14, section 15301). The project qualifies for this exemption because it is limited to the operation, repair, maintenance, permitting, or minor alteration of an existing facility and involves negligible or no expansion of existing or former use. The Board further finds that none of the exceptions to the categorical exemptions set forth in California Code of Regulations, title 14, section 15300.2 apply.

Application Number: 20107

Applicant: Pacific Gas and Electric (PG&E)

Location Description: Located on the right bank of Reclamation District No. 999 Unit No. 05 Elk Slough levee on Elk Slough, at 38.38369°N 121.546639°W, Clarksburg, Yolo County.

County: Yolo

Stream: Elk Slough

Project Description: To authorize an existing 45-foot-tall wooden electric distribution pole set 7.5 feet deep installed within the levee for an 8-inch slant pump as described in the "Supplement to Standard Operation and Maintenance Manual Sacramento River Flood Control Project, Unit No. 113 (Revised), East Levee of Yolo Bypass, North Levee of Miner Slough, West Levees of Sutter Slough, Elkhorn Slough and Sacramento River, All Bordering Reclamation District No. 999, October 1966, Revised 29 December 2016".

LMA Endorsement: N/A

CEQA Finding: The Board has determined that the project activities within the Board's authority are exempt from CEQA pursuant to the Class 1 (Existing Facilities) categorical exemption (California Code of Regulations, title 14, section 15301). The project qualifies for this exemption because it is limited to the operation, repair, maintenance, permitting, or minor alteration of an existing facility and involves negligible or no expansion of existing or former use. The Board further finds that none of the exceptions to the categorical exemptions set forth in California Code of Regulations, title 14, section 15300.2 apply.

Application Number: 20108

Applicant: Pacific Gas and Electric (PG&E)

Location Description: Located along the Cache and Haas Sloughs levee about 2.5 miles east from the Yolo-Solano County line, at 38.33442°N 121.74036°W, Reclamation District 2068, Cache and Haas Sloughs, Solano County.

County: Solano

Stream: Yolo Bypass

Project Description: To authorize a 45-foot electric distribution pole set 7.5-feet deep (PM 35642999) and a 40-foot electric distribution pole set 7-feet deep (PM 35643876) installed in 1926.

LMA Endorsement: Reclamation District 2098

CEQA Finding: The Board has determined that the project activities within the Board's authority are exempt from CEQA pursuant to the Class 1 (Existing Facilities) categorical exemption (California Code of Regulations, title 14, section 15301). The project qualifies for this exemption because it is limited to the operation, repair, maintenance, permitting, or minor alteration of an existing facility and involves negligible or no expansion of existing or former use. The Board further finds that none of the exceptions to the categorical exemptions set forth in California Code of Regulations, title 14, section 15300.2 apply.

Application Number: 20111

Applicant: Van Loben Sels Family Trust DECLN E/ETAL

Location Description: The irrigation facility is located on the left bank of Sacramento River, on Unit No. 01 Sacramento River Levee Mile 13.44, at 38.421°N 121.525°W, Sacramento Maintenance Yard, Sacramento River, Sacramento County.

County: Sacramento

Stream: Sacramento River

Project Description: To authorize an existing irrigation facility consisting of a 10-inch steel irrigation pipe (DSID 17469) through the levee, a pump house on the waterside levee slope, stairs on both levee slopes, gate valves on both ends, and a service pole on the landside levee slope. The pipe is shown in the Operation and Maintenance Manual "Unit 111, East Levee of Sacramento River from Freeport to Walnut Grove, May 1959, Revised 29 Dec 2016".

LMA Endorsement: Sacramento County Regional Sanitation District

CEQA Finding: The Board has determined that the project activities within the Board's authority are exempt from CEQA pursuant to the Class 1 (Existing Facilities) categorical exemption (California Code of Regulations, title 14, section 15301). The project qualifies for this exemption because it is limited to the operation, repair, maintenance, permitting, or minor alteration of an existing facility and involves negligible or no expansion of existing or former use. The Board further finds that none of the exceptions to the categorical exemptions set forth in California Code of Regulations, title 14, section 15300.2 apply.

Application Number: 20113

Applicant: California Department of Fish and Wildlife

Location Description: The project area is located in the center of the approximately 4,279-acre Howard Slough Unit located in southeastern Glenn County, Butte Basin, 9.5 miles northwest of the City of Biggs, south of State Route 162, at 39.44461°N 121.88543°W.

County: Glenn

Stream: Butte Basin

Project Description: To authorize three 40-foot long, 48-inch diameter high density polyethylene (HDPE) culverts, concrete headwalls, concrete intake structures, and erosion control utilized as an agricultural field crossing and water control structure for field irrigation.

LMA Endorsement: Butte County Public Works

CEQA Finding: The Board has determined that the project activities within the Board's authority are exempt from CEQA pursuant to the Class 1 (Existing Facilities) categorical exemption (California Code of Regulations, title 14, section 15301). The project qualifies for this exemption because it is limited to the operation, repair, maintenance, permitting, or minor alteration of an existing facility and involves negligible or no expansion of existing or former use. The Board further finds that none of the exceptions to the categorical exemptions set forth in California Code of Regulations, title 14, section 15300.2 apply.

Application Number: 20115

Applicant: Modesto Properties Company, Inc.

Location Description: The project is located at APN: 049-190-004-000, Levee Mile 0.85, on right bank levee of Bear Creek, at 37.262981°N 120.761703°W, Bear Creek, Lower San Joaquin Levee District (LSJLD), Merced County.

County: Merced

Stream: Bear Creek

Project Description: Extension of Permit 19947 EO (issued July 17, 2025) to continue discharging water from Modesto Properties into Bear Creek for the benefit of the San Luis National Wildlife Refuge. This permit is for the continued use of the existing drainpipe DSID 19896 until October 1, 2027, with no construction or modifications. This drainage pipe is part of the State Plan of Flood Control, shown in the Lower San Joaquin River Flood Control Project As-Constructed Drawings No. 63-25.

LMA Endorsement: Lower San Joaquin Levee District

CEQA Finding: The Board has determined that the project activities within the Board's authority are exempt from CEQA pursuant to the Class 1 (Existing Facilities) categorical exemption (California Code of Regulations, title 14, section 15301). The project qualifies for this exemption because it is limited to the continued use of an existing drainpipe and involves negligible or no expansion of existing use. The Board finds that none of the exceptions to the categorical exemptions set forth in California Code of Regulations, title 14, section 15300.2 apply.

Application Number: 19905

Applicant: D.R. Horton Bay, Inc.

Location Description: The project is located on the right bank of the San Joaquin River approximately 200 feet west of the intersection of Inland Passage Drive and Sadler Oak in the City of Lathrop, at 37.793635°N 121.305972°W, San Joaquin River, Reclamation District 17 (RD 17), San Joaquin County.

County: San Joaquin

Stream: San Joaquin River

Project Description: To construct a 10-foot-wide asphalt concrete (AC) ramp approximately 240 feet long on the landside levee slope with a vehicle access gate; construct a 12-foot-wide AC trail approximately 1,400 feet long meandering on top of the landside levee berm with a minimum setback of 19 feet from the levee toe; modify an existing concrete retaining curb to match the proposed grade, install landscaping with a minimum setback of 70 feet from landside levee toe, and install an irrigation system with a minimum setback of 15 feet from the levee berm toe.

LMA Endorsement: Reclamation District 17

CEQA Finding: In accordance with California Code of Regulations, title 14, section 15096(f), the Board reviewed and considered the Environmental Impact Report (EIR) for the Mossdale Landing South Project, the Mitigation Monitoring and Reporting Program (MMRP), and the Statement of Overriding Considerations adopted by the lead agency, the City of Lathrop. The City of Lathrop filed a Notice of Determination with the State Clearinghouse on September 24, 2004 (State Clearinghouse No. 2004052069). The City of Lathrop subsequently confirmed that the levee trail improvements associated with the Eagles Landing subdivision were analyzed as part of the Mossdale Landing South EIR and that the improvements would not increase previously identified impacts, result in new significant environmental effects, or require additional mitigation measures beyond those identified in the certified Mossdale Landing South EIR.

As a responsible agency, the Board is responsible for mitigating or avoiding only the direct or indirect environmental effects of those portions of the project that it approves and that are within its authority (California Code of Regulations, title 14, section 15096(g) and title 23, section 1; Public Resources Code, sections 21002.1(d) and 21069). The Board's action is limited to approval of a Board permit, and the Board's authority is limited to imposing conditions necessary to mitigate or avoid environmental impacts within its authority, including the Adopted Plan of Flood Control.

The Mossdale Landing South EIR concluded that flood-related impacts associated with the project would be less than significant. Based on its review of the EIR, MMRP, and the administrative record, the Board finds that the authorized activities will not result in significant flood-related impacts within its authority.

Accordingly, pursuant to California Code of Regulations, title 14, section 15096(h), the Board finds the activities authorized by Permit No. 19905 are within the scope of the project analyzed in the Mossdale Landing South EIR and no additional mitigation measures are required beyond those adopted by the City of Lathrop in the MMRP.

These documents, including project design, are available for review at the Board and the City of Lathrop's offices. These documents constitute the administrative record of the Board in this matter and are in the custody of the Executive Officer, Central Valley Flood Protection Board, 3310 El Camino Ave., Suite 170, Sacramento, California 95821.